




**SUB-MINI TOGGLE SWITCH**



| PART #  | DESCRIPTION    | RATING A       | RATING B         |
|---------|----------------|----------------|------------------|
| 66-1001 | ON-OFF/SPST 2P | 3 AMPS/125 VAC | 1.0 AMPS/250 VAC |

**SUB-MINI TOGGLE SWITCH**



| PART #  | DESCRIPTION       | RATING A       | RATING B         |
|---------|-------------------|----------------|------------------|
| 66-1002 | ON-ON/SPDT 3P     | 3 AMPS/125 VAC | 1.0 AMPS/250 VAC |
| 66-1003 | ON-OFF-ON/SPDT 3P | 3 AMPS/125 VAC | 1.0 AMPS/250 VAC |

**SUB-MINI TOGGLE SWITCH**


| PART #  | DESCRIPTION       | RATING A       | RATING B         |
|---------|-------------------|----------------|------------------|
| 66-1005 | ON-ON/DPDT 6P     | 3 AMPS/125 VAC | 1.0 AMPS/250 VAC |
| 66-1006 | ON-OFF-ON/DPDT 6P | 3 AMPS/125 VAC | 1.0 AMPS/250 VAC |


**MINI TOGGLE SWITCH**


| PART #  | DESCRIPTION    | RATING A       | RATING B       |
|---------|----------------|----------------|----------------|
| 66-1201 | ON-OFF/SPST 2P | 6 AMPS/125 VAC | 3 AMPS/250 VAC |

**MINI TOGGLE SWITCH**



(ON) = Momentary

| PART #  | DESCRIPTION           | RATING A       | RATING B       |
|---------|-----------------------|----------------|----------------|
| 66-1202 | ON-ON/SPDT 3P         | 6 AMPS/125 VAC | 3 AMPS/250 VAC |
| 66-1203 | ON-OFF-ON/SPDT 3P     | 6 AMPS/125 VAC | 3 AMPS/250 VAC |
| 66-1250 | (ON)-OFF-(ON)/SPDT 3P | 6 AMPS/125 VAC | 3 AMPS/250 VAC |


**MINI TOGGLE SWITCH**


(ON) = Momentary

| PART #  | DESCRIPTION           | RATING A       | RATING B       |
|---------|-----------------------|----------------|----------------|
| 66-1205 | ON-ON/DPDT 6P         | 6 AMPS/125 VAC | 3 AMPS/250 VAC |
| 66-1206 | ON-OFF-ON/DPDT 6P     | 6 AMPS/125 VAC | 3 AMPS/250 VAC |
| 66-1251 | (ON)-OFF-(ON)/DPDT 6P | 6 AMPS/125 VAC | 3 AMPS/250 VAC |
| 66-1255 | ON-OFF-(ON)/DPDT 6P   | 6 AMPS/125 VAC | 3 AMPS/250 VAC |

**MINI TOGGLE SWITCH**



| PART #  | DESCRIPTION       | RATING A       | RATING B       |
|---------|-------------------|----------------|----------------|
| 66-1210 | ON-ON/3PDT 9P     | 6 AMPS/125 VAC | 3 AMPS/250 VAC |
| 66-1215 | ON-OFF-ON/3PDT 9P | 6 AMPS/125 VAC | 3 AMPS/250 VAC |

**MINI TOGGLE SWITCH**


| PART #  | DESCRIPTION    | RATING A       | RATING B       |
|---------|----------------|----------------|----------------|
| 66-1220 | ON-ON/4PDT 12P | 6 AMPS/125 VAC | 3 AMPS/250 VAC |


## SWITCHES

### MINI TOGGLE SWITCH




| PART #  | DESCRIPTION    | RATING A       | RATING B       |
|---------|----------------|----------------|----------------|
| 66-1225 | ON-OFF/SPST 2P | 6 AMPS/125 VAC | 3 AMPS/250 VAC |

### MINI TOGGLE SWITCH




| PART #  | DESCRIPTION       | RATING A       | RATING B       |
|---------|-------------------|----------------|----------------|
| 66-1226 | ON-ON/SPDT 3P     | 6 AMPS/125 VAC | 3 AMPS/250 VAC |
| 66-1227 | ON-OFF-ON/SPDT 3P | 6 AMPS/125 VAC | 3 AMPS/250 VAC |

### MINI TOGGLE SWITCH




| PART #  | DESCRIPTION       | RATING A       | RATING B       |
|---------|-------------------|----------------|----------------|
| 66-1228 | ON-ON/DPDT 6P     | 6 AMPS/125 VAC | 3 AMPS/250 VAC |
| 66-1229 | ON-OFF-ON/DPDT 6P | 6 AMPS/125 VAC | 3 AMPS/250 VAC |

### MINI TOGGLE SWITCH




| PART #  | DESCRIPTION    | RATING A       | RATING B       |
|---------|----------------|----------------|----------------|
| 66-1230 | ON-OFF/SPST 2P | 6 AMPS/125 VAC | 3 AMPS/250 VAC |

### MINI TOGGLE SWITCH




| PART #  | DESCRIPTION       | RATING A       | RATING B       |
|---------|-------------------|----------------|----------------|
| 66-1231 | ON-ON/SPDT 3P     | 6 AMPS/125 VAC | 3 AMPS/250 VAC |
| 66-1232 | ON-OFF-ON/SPDT 3P | 6 AMPS/125 VAC | 3 AMPS/250 VAC |

### STANDARD DUTY TOGGLE SWITCH




| PART #  | DESCRIPTION              | RATING A       | RATING B       |
|---------|--------------------------|----------------|----------------|
| 66-1401 | ON-OFF/SPST 2P           | 4 AMPS/125 VAC | 2 AMPS/250 VAC |
| 66-1501 | ON-OFF/SPST 2P Pre-wired | 4 AMPS/125 VAC | 2 AMPS/250 VAC |

### STANDARD DUTY TOGGLE SWITCH




| PART #  | DESCRIPTION   | RATING A       | RATING B       |
|---------|---------------|----------------|----------------|
| 66-1402 | ON-ON/SPDT 4P | 4 AMPS/125 VAC | 2 AMPS/250 VAC |


### STANDARD DUTY TOGGLE SWITCH




| PART #  | DESCRIPTION   | RATING A       | RATING B       |
|---------|---------------|----------------|----------------|
| 66-1405 | ON-ON/DPDT 6P | 5 AMPS/125 VAC | 3 AMPS/250 VAC |

**MEDIUM DUTY TOGGLE SWITCH**



| PART #  | DESCRIPTION    | RATING A        | RATING B       |
|---------|----------------|-----------------|----------------|
| 66-1620 | ON-OFF/SPST 2P | 10 AMPS/125 VAC | 6 AMPS/250 VAC |

**MEDIUM DUTY TOGGLE SWITCH**



| PART #  | DESCRIPTION       | RATING A        | RATING B       |
|---------|-------------------|-----------------|----------------|
| 66-1621 | ON-ON/SPDT 3P     | 10 AMPS/125 VAC | 6 AMPS/250 VAC |
| 66-1622 | ON-OFF-ON/SPDT 3P | 10 AMPS/125 VAC | 6 AMPS/250 VAC |

**MEDIUM DUTY TOGGLE SWITCH**



| PART #  | DESCRIPTION       | RATING A        | RATING B       |
|---------|-------------------|-----------------|----------------|
| 66-1623 | ON-ON/DPDT 6P     | 10 AMPS/125 VAC | 6 AMPS/250 VAC |
| 66-1624 | ON-OFF-ON/DPDT 6P | 10 AMPS/125 VAC | 6 AMPS/250 VAC |

**HEAVY DUTY TOGGLE SWITCH**



| PART #  | DESCRIPTION    | RATING A        | RATING B        |
|---------|----------------|-----------------|-----------------|
| 66-1810 | ON-OFF/4PST 8P | 15 AMPS/125 VAC | 10 AMPS/250 VAC |

**HEAVY DUTY TOGGLE SWITCH**



| PART #  | DESCRIPTION        | RATING A        | RATING B        |
|---------|--------------------|-----------------|-----------------|
| 66-1811 | ON-ON/4PDT 12P     | 15 AMPS/125 VAC | 10 AMPS/250 VAC |
| 66-1815 | ON-OFF-ON/4PDT 12P | 15 AMPS/125 VAC | 10 AMPS/250 VAC |

**HEAVY DUTY TOGGLE SWITCH**


| PART #  | DESCRIPTION    | RATING A        | RATING B        |
|---------|----------------|-----------------|-----------------|
| 66-1820 | ON-OFF/SPST 2P | 15 AMPS/125 VAC | 10 AMPS/250 VAC |

**HEAVY DUTY TOGGLE SWITCH**



| PART #  | DESCRIPTION       | RATING A        | RATING B        |
|---------|-------------------|-----------------|-----------------|
| 66-1821 | ON-ON/SPDT 3P     | 15 AMPS/125 VAC | 10 AMPS/250 VAC |
| 66-1822 | ON-OFF-ON/SPDT 3P | 15 AMPS/125 VAC | 10 AMPS/250 VAC |

**HEAVY DUTY TOGGLE SWITCH**


| PART #  | DESCRIPTION       | RATING A        | RATING B        |
|---------|-------------------|-----------------|-----------------|
| 66-1823 | ON-ON/DPDT 6P     | 15 AMPS/125 VAC | 10 AMPS/250 VAC |
| 66-1824 | ON-OFF-ON/DPDT 6P | 15 AMPS/125 VAC | 10 AMPS/250 VAC |


## SWITCHES

### HEAVY DUTY TOGGLE SWITCH




| PART #  | DESCRIPTION    | RATING A        | RATING B        |
|---------|----------------|-----------------|-----------------|
| 66-1801 | ON-OFF/SPST 2P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |

### MEDIUM DUTY TOGGLE SWITCH




| PART #  | DESCRIPTION       | RATING A        | RATING B        |
|---------|-------------------|-----------------|-----------------|
| 66-1802 | ON-ON/SPDT 3P     | 20 AMPS/125 VAC | 15 AMPS/250 VAC |
| 66-1803 | ON-OFF-ON/SPDT 3P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |

### HEAVY DUTY TOGGLE SWITCH




| PART #  | DESCRIPTION    | RATING A        | RATING B        |
|---------|----------------|-----------------|-----------------|
| 66-1804 | ON-OFF/DPST 4P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |

### HEAVY DUTY TOGGLE SWITCH



| PART #  | DESCRIPTION       | RATING A        | RATING B        |
|---------|-------------------|-----------------|-----------------|
| 66-1805 | ON-ON/DPDT 6P     | 20 AMPS/125 VAC | 15 AMPS/250 VAC |
| 66-1806 | ON-OFF-ON/DPDT 6P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |


### HEAVY DUTY TOGGLE SWITCH SCREW TERMINAL



(ON) = Momentary

| PART #  | DESCRIPTION           | RATING A        | RATING B        |
|---------|-----------------------|-----------------|-----------------|
| 66-1850 | (ON)-OFF-(ON)/SPDT 3P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |


### HEAVY DUTY TOGGLE SWITCH



(ON) = Momentary


| PART #  | DESCRIPTION           | RATING A        | RATING B        |
|---------|-----------------------|-----------------|-----------------|
| 66-1851 | (ON)-OFF-(ON)/DPDT 6P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |
| 66-1855 | ON-OFF-(ON)/DPDT 6P   | 20 AMPS/125 VAC | 15 AMPS/250 VAC |

### HEAVY DUTY TOGGLE SWITCH



| PART #  | DESCRIPTION    | RATING A        | RATING B        |
|---------|----------------|-----------------|-----------------|
| 66-1901 | ON-OFF/SPST 2P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |


### HEAVY DUTY TOGGLE SWITCH



| PART #  | DESCRIPTION       | RATING A        | RATING B        |
|---------|-------------------|-----------------|-----------------|
| 66-1902 | ON-ON/SPDT 3P     | 20 AMPS/125 VAC | 15 AMPS/250 VAC |
| 66-1903 | ON-OFF-ON/SPDT 3P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |




## HEAVY DUTY TOGGLE SWITCH




| PART #  | DESCRIPTION    | RATING A        | RATING B        |
|---------|----------------|-----------------|-----------------|
| 66-1904 | ON-OFF/DPST 4P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |

## HEAVY DUTY TOGGLE SWITCH



| PART #  | DESCRIPTION       | RATING A        | RATING B        |
|---------|-------------------|-----------------|-----------------|
| 66-1905 | ON-ON/DPDT 6P     | 20 AMPS/125 VAC | 15 AMPS/250 VAC |
| 66-1906 | ON-OFF-ON/DPDT 6P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |


## HEAVY DUTY TOGGLE SWITCH



(ON) = Momentary

| PART #  | DESCRIPTION           | RATING A        | RATING B        |
|---------|-----------------------|-----------------|-----------------|
| 66-1950 | (ON)-OFF-(ON)/SPDT 3P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |


## HEAVY DUTY TOGGLE SWITCH



(ON) = Momentary


| PART #  | DESCRIPTION           | RATING A        | RATING B        |
|---------|-----------------------|-----------------|-----------------|
| 66-1951 | (ON)-OFF-(ON)/DPDT 3P | 20 AMPS/125 VAC | 15 AMPS/250 VAC |
| 66-1955 | ON-OFF-(ON)/DPDT 3P   | 20 AMPS/125 VAC | 15 AMPS/250 VAC |

## STANDARD MICRO SWITCH




| PART #  | DESCRIPTION      | RATING A        | RATING B        |
|---------|------------------|-----------------|-----------------|
| 66-4000 | ON-(ON)/NO/NC 3P | 10 AMPS/125 VAC | 10 AMPS/250 VAC |

## STANDARD MICRO SWITCH




| PART #  | DESCRIPTION      | RATING A        | RATING B        |
|---------|------------------|-----------------|-----------------|
| 66-4001 | ON-(ON)/NO/NC 3P | 10 AMPS/125 VAC | 10 AMPS/250 VAC |

## STANDARD MICRO SWITCH



| PART #  | DESCRIPTION      | RATING A        | RATING B        |
|---------|------------------|-----------------|-----------------|
| 66-4002 | ON-(ON)/NO/NC 3P | 10 AMPS/125 VAC | 10 AMPS/250 VAC |


## STANDARD MICRO SWITCH



| PART #  | DESCRIPTION      | RATING A        | RATING B        |
|---------|------------------|-----------------|-----------------|
| 66-4003 | ON-(ON)/NO/NC 3P | 10 AMPS/125 VAC | 10 AMPS/250 VAC |


## SWITCHES

### MINI MICRO SWITCH




| PART #  | DESCRIPTION      | RATING A       | RATING B       |
|---------|------------------|----------------|----------------|
| 66-4010 | ON-(ON)/NO/NC 3P | 5 AMPS/125 VAC | 5 AMPS/250 VAC |

### MINI MICRO SWITCH




| PART #  | DESCRIPTION      | RATING A       | RATING B       |
|---------|------------------|----------------|----------------|
| 66-4011 | ON-(ON)/NO/NC 3P | 5 AMPS/125 VAC | 5 AMPS/250 VAC |

### MINI MICRO SWITCH




| PART #  | DESCRIPTION      | RATING A       | RATING B       |
|---------|------------------|----------------|----------------|
| 66-4012 | ON-(ON)/NO/NC 3P | 5 AMPS/125 VAC | 5 AMPS/250 VAC |

### MINI MICRO SWITCH



| PART #  | DESCRIPTION      | RATING A       | RATING B       |
|---------|------------------|----------------|----------------|
| 66-4013 | ON-(ON)/NO/NC 3P | 5 AMPS/125 VAC | 5 AMPS/250 VAC |


### PUSH BUTTON SWITCH



(ON) = Momentary

| PART #  | DESCRIPTION      | RATING A       | RATING B       |
|---------|------------------|----------------|----------------|
| 66-2445 | ON-OFF/SPST 2P   | 3 AMPS/125 VAC | 1 AMPS/250 VAC |
| 66-2446 | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMPS/250 VAC |


### PUSH BUTTON SWITCH



(ON) = Momentary

| PART #  | DESCRIPTION      | RATING A       | RATING B       |
|---------|------------------|----------------|----------------|
| 66-2402 | ON-OFF/SPST 2P   | 3 AMPS/125 VAC | 1 AMPS/250 VAC |
| 66-2404 | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMPS/250 VAC |


### PUSH BUTTON SWITCH



(ON) = Momentary



| PART #  | DESCRIPTION      | RATING A       | RATING B       |
|---------|------------------|----------------|----------------|
| 66-2450 | ON-OFF/SPST 2P   | 3 AMPS/125 VAC | 1 AMPS/250 VAC |
| 66-2451 | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMPS/250 VAC |

### PUSH BUTTON SWITCH






(ON) = Momentary

| PART #  | DESCRIPTION            | RATING A       | RATING B       |
|---------|------------------------|----------------|----------------|
| 66-2406 | BLACK ON-OFF/SPST 2P   | 3 AMPS/125 VAC | 1 AMPS/250 VAC |
| 66-2407 | BLACK OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMPS/250 VAC |
| 66-2408 | RED ON-OFF/SPST 2P     | 3 AMPS/125 VAC | 1 AMPS/250 VAC |
| 66-2410 | RED OFF-(ON)/SPST 2P   | 3 AMPS/125 VAC | 1 AMPS/250 VAC |

**PUSH BUTTON SWITCH**





(ON) = Momentary

| PART #         | DESCRIPTION      | RATING A       | RATING B       |
|----------------|------------------|----------------|----------------|
| <b>66-2465</b> | ON-OFF/SPST 2P   | 3 AMPS/125 VAC | 1 AMPS/250 VAC |
| <b>66-2466</b> | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMPS/250 VAC |

**PUSH BUTTON SWITCH**





(OFF) = Momentary

| PART #         | DESCRIPTION      | RATING A       | RATING B       |
|----------------|------------------|----------------|----------------|
| <b>66-2460</b> | ON-ON/SPDT 3P    | 2 AMPS/125 VAC | 4 AMPS/250 VAC |
| <b>66-2461</b> | ON-(OFF)/SPST 3P | 2 AMPS/125 VAC | 4 AMPS/250 VAC |

**PUSH BUTTON SWITCH**





(OFF) = Momentary

| PART #         | DESCRIPTION      | RATING A       | RATING B       |
|----------------|------------------|----------------|----------------|
| <b>66-2462</b> | ON-ON/DPDT 6P    | 2 AMPS/125 VAC | 4 AMPS/250 VAC |
| <b>66-2463</b> | ON-(OFF)/DPDT 6P | 2 AMPS/125 VAC | 4 AMPS/250 VAC |

**PUSH BUTTON SWITCH**




(ON) = Momentary

| PART #         | DESCRIPTION      | RATING A       | RATING B       |
|----------------|------------------|----------------|----------------|
| <b>66-2430</b> | OFF-(ON)/SPST 2P | 4 AMPS/125 VAC | 2 AMPS/250 VAC |

**PUSH BUTTON SWITCH**


(ON) = Momentary

| PART #         | DESCRIPTION      | RATING A        | RATING B       |
|----------------|------------------|-----------------|----------------|
| <b>66-2432</b> | OFF-(ON)/SPST 2P | 10 AMPS/125 VAC | 6 AMPS/250 VAC |



**PUSH BUTTON SWITCH**


(OFF) = Momentary

| PART #         | DESCRIPTION             | RATING A       | RATING B       |
|----------------|-------------------------|----------------|----------------|
| <b>66-2420</b> | RED ON-(OFF)/SPST 2P    | 4 AMPS/125 VAC | 2 AMPS/250 VAC |
| <b>66-2422</b> | BLACK ON-(OFF)/SPST 2P  | 4 AMPS/125 VAC | 2 AMPS/250 VAC |
| <b>66-2424</b> | BLUE ON-(OFF)/SPST 2P   | 4 AMPS/125 VAC | 2 AMPS/250 VAC |
| <b>66-2426</b> | GREEN ON-(OFF)/SPST 2P  | 4 AMPS/125 VAC | 2 AMPS/250 VAC |
| <b>66-2428</b> | YELLOW ON-(OFF)/SPST 2P | 4 AMPS/125 VAC | 2 AMPS/250 VAC |

(ON) = Momentary

| PART #         | DESCRIPTION             | RATING A       | RATING B       |
|----------------|-------------------------|----------------|----------------|
| <b>66-2421</b> | RED OFF-(ON)/SPST 2P    | 4 AMPS/125 VAC | 2 AMPS/250 VAC |
| <b>66-2423</b> | BLACK OFF-(ON)/SPST 2P  | 4 AMPS/125 VAC | 2 AMPS/250 VAC |
| <b>66-2425</b> | BLUE OFF-(ON)/SPST 2P   | 4 AMPS/125 VAC | 2 AMPS/250 VAC |
| <b>66-2427</b> | GREEN OFF-(ON)/SPST 2P  | 4 AMPS/125 VAC | 2 AMPS/250 VAC |
| <b>66-2429</b> | YELLOW OFF-(ON)/SPST 2P | 4 AMPS/125 VAC | 2 AMPS/250 VAC |


**PUSH BUTTON SWITCH**


(ON) = Momentary

| PART #         | DESCRIPTION      | RATING A       | RATING B       |
|----------------|------------------|----------------|----------------|
| <b>66-2434</b> | OFF-(ON)/SPST 2P | 4 AMPS/125 VAC | 2 AMPS/250 VAC |


## SWITCHES

### PUSH BUTTON SWITCH




| PART #  | DESCRIPTION      | RATING A       | RATING B       |
|---------|------------------|----------------|----------------|
| 66-2436 | OFF-(ON)/SPST 2P | 4 AMPS/125 VAC | 2 AMPS/250 VAC |

### PUSH BUTTON SWITCH WITH WATERPROOF RUBBER RING IP66 PROTECTION




| PART #  | DESCRIPTION           | RATING A       | RATING B       |
|---------|-----------------------|----------------|----------------|
| 66-2438 | OFF-(ON)/SPST 2P/IP66 | 4 AMPS/125 VAC | 2 AMPS/250 VAC |

### PUSH BUTTON SWITCH



| PART #      | DESCRIPTION      | RATING A       | RATING B      |
|-------------|------------------|----------------|---------------|
| 66-2440 BK  | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMP/250 VAC |
| 66-2441 RED | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMP/250 VAC |
| 66-2442 BLU | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMP/250 VAC |
| 66-2443 GN  | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMP/250 VAC |
| 66-2444 YW  | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMP/250 VAC |


### PUSH BUTTON SWITCH



\* BLACK BUTTON


| PART #   | DESCRIPTION      | RATING A       | RATING B       |
|----------|------------------|----------------|----------------|
| 66-2412  | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMPS/250 VAC |
| 66-2414* | ON-(OFF)/SPST 2P | 3 AMPS/125 VAC | 1 AMPS/250 VAC |

### PUSH BUTTON SWITCH




| PART #  | DESCRIPTION      | RATING A       | RATING B       |
|---------|------------------|----------------|----------------|
| 66-2475 | OFF-(ON)/SPST 2P | 3 AMPS/125 VAC | 1 AMPS/250 VAC |

### PUSH BUTTON SWITCH




| PART #  | DESCRIPTION | RATING A       | RATING B        |
|---------|-------------|----------------|-----------------|
| 66-2468 | (ON)-OFF    | 20 AMPS/12 VDC | 10 AMPS/125 VAC |

### AUTOMOTIVE SWITCH



| PART #  | DESCRIPTION         | RATING A     | RATING B      |
|---------|---------------------|--------------|---------------|
| 66-2301 | (L=7,13,20) SPST 2P | 10AMPS/12VDC | 6 AMPS/30 VDC |


### AUTOMOTIVE SWITCH



| PART #        | DESCRIPTION | RATING A      | RATING B |
|---------------|-------------|---------------|----------|
| 66-2490 RED   | ON-OFF      | 20 AMPS/12VDC | -        |
| 66-2491 BLUE  | ON-OFF      | 20 AMPS/12VDC | -        |
| 66-2492 GREEN | ON-OFF      | 20 AMPS/12VDC | -        |
| 66-2493 AMBER | ON-OFF      | 20 AMPS/12VDC | -        |




## AUTOMOTIVE SWITCH




| PART #        | DESC.  | RATING A       | RATING B      |
|---------------|--------|----------------|---------------|
| 66-2495 RED   | ON-OFF | 10 AMPS/110VAC | 6 AMPS/250VAC |
| 66-2496 BLUE  | ON-OFF | 10 AMPS/110VAC | 6 AMPS/250VAC |
| 66-2497 GREEN | ON-OFF | 10 AMPS/110VAC | 6 AMPS/250VAC |
| 66-2498 AMBER | ON-OFF | 10 AMPS/110VAC | 6 AMPS/250VAC |

## KNIFE SWITCH




| PART #  | DESCRIPTION | RATING B      |
|---------|-------------|---------------|
| 66-2820 | ON-ON/SPDT  | 10 AMPS/12VDC |

## ILLUMINATED ROCKER SWITCH



| PART #        | DESCRIPTION    | RATING A      | LAMP VOLTAGE |
|---------------|----------------|---------------|--------------|
| 66-2237 AMBER | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2238 BLUE  | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2239 GREEN | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2240 RED   | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |


## ILLUMINATED ROCKER SWITCH



LAMP VOLTAGE: 125/250VAC


| PART #        | DESCRIPTION    | RATING A       | RATING B       |
|---------------|----------------|----------------|----------------|
| 66-2217 AMBER | ON-OFF/SPST 3P | 20 AMPS/125VAC | 15 AMPS/250VAC |
| 66-2218 BLUE  | ON-OFF/SPST 3P | 20 AMPS/125VAC | 15 AMPS/250VAC |
| 66-2219 GREEN | ON-OFF/SPST 3P | 20 AMPS/125VAC | 15 AMPS/250VAC |
| 66-2220 RED   | ON-OFF/SPST 3P | 20 AMPS/125VAC | 15 AMPS/250VAC |

## ILLUMINATED ROCKER SWITCH



| PART #        | DESCRIPTION    | RATING A      | LAMP VOLTAGE |
|---------------|----------------|---------------|--------------|
| 66-2207 AMBER | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2208 BLUE  | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2209 GREEN | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2210 RED   | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |


## ILLUMINATED ROCKER SWITCH



LAMP VOLTAGE: 125/250VAC


| PART #        | DESCRIPTION    | RATING A       | RATING B       |
|---------------|----------------|----------------|----------------|
| 66-2200 AMBER | ON-OFF/SPST 3P | 20 AMPS/125VAC | 15 AMPS/250VAC |
| 66-2201 BLUE  | ON-OFF/SPST 3P | 20 AMPS/125VAC | 15 AMPS/250VAC |
| 66-2202 GREEN | ON-OFF/SPST 3P | 20 AMPS/125VAC | 15 AMPS/250VAC |
| 66-2203 RED   | ON-OFF/SPST 3P | 20 AMPS/125VAC | 15 AMPS/250VAC |

## ILLUMINATED MINI ROCKER SWITCH



| PART #      | DESCRIPTION    | RATING A       | RATING B      |
|-------------|----------------|----------------|---------------|
| 66-2290 RED | ON-OFF/SPST 3P | 6 AMPS/12VDC   | —             |
| 66-2293 RED | ON-OFF/SPST 3P | 3 AMPS/125 VAC | 1 AMP/250 VAC |


## ILLUMINATED ROCKER SWITCH



| PART #      | DESCRIPTION    | RATING A        | RATING B        |
|-------------|----------------|-----------------|-----------------|
| 66-2291 RED | ON-OFF/SPST 3P | 16 AMPS/12VDC   | —               |
| 66-2292 RED | ON-OFF/SPST 3P | 13 AMPS/125 VAC | 6.5 AMP/250 VAC |


## SWITCHES

### ILLUMINATED ROCKER SWITCH




| PART #        | DESCRIPTION    | RATING A      | LAMP VOLTAGE |
|---------------|----------------|---------------|--------------|
| 66-2040 AMBER | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2041 BLUE  | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2042 GREEN | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2043 RED   | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |

### ROCKER SWITCH



| PART #  | DESCRIPTION    | RATING A        | RATING B       |
|---------|----------------|-----------------|----------------|
| 66-2245 | ON-OFF/SPST 2P | 10 AMPS/125 VAC | 6 AMPS/250 VAC |


### ROCKER SWITCH



(ON) = Momentary


| PART #  | DESCRIPTION           | RATING A       | RATING B      |
|---------|-----------------------|----------------|---------------|
| 66-2246 | ON-ON/SPDT 3P         | 10 AMPS/125VAC | 6 AMPS/250VAC |
| 66-2247 | ON-OFF-ON/SPDT 3P     | 10 AMPS/125VAC | 6 AMPS/250VAC |
| 66-2248 | (ON)-OFF-(ON)/SPDT 3P | 10 AMPS/125VAC | 6 AMPS/250VAC |

### ILLUMINATED AUTOMOTIVE SWITCH




| PART #        | DESCRIPTION    | RATING A                   |
|---------------|----------------|----------------------------|
| 66-2294 AMBER | ON-OFF/DPST 4P | 35 AMPS/12 VDC (WITH LAMP) |
| 66-2295 RED   | ON-OFF/DPST 4P | 35 AMPS/12 VDC (WITH LAMP) |
| 66-2296 BLUE  | ON-OFF/DPST 4P | 35 AMPS/12 VDC (WITH LAMP) |
| 66-2297 GREEN | ON-OFF/DPST 4P | 35 AMPS/12 VDC (WITH LAMP) |

### ILLUMINATED LED AUTOMOTIVE SWITCH




| PART #        | DESCRIPTION    | RATING A      | LAMP VOLTAGE |
|---------------|----------------|---------------|--------------|
| 66-2280 AMBER | ON-OFF/SPST 3P | 16 AMPS/12VDC | 12VDC        |
| 66-2281 BLUE  | ON-OFF/SPST 3P | 16 AMPS/12VDC | 12VDC        |
| 66-2282 GREEN | ON-OFF/SPST 3P | 16 AMPS/12VDC | 12VDC        |
| 66-2283 RED   | ON-OFF/SPST 3P | 16 AMPS/12VDC | 12VDC        |

### ILLUMINATED LED AUTOMOTIVE SWITCH




| PART #        | DESCRIPTION    | RATING A      | LAMP VOLTAGE |
|---------------|----------------|---------------|--------------|
| 66-2285 AMBER | ON-OFF/SPST 3P | 16 AMPS/12VDC | 12VDC        |
| 66-2286 BLUE  | ON-OFF/SPST 3P | 16 AMPS/12VDC | 12VDC        |
| 66-2287 GREEN | ON-OFF/SPST 3P | 16 AMPS/12VDC | 12VDC        |
| 66-2288 RED   | ON-OFF/SPST 3P | 16 AMPS/12VDC | 12VDC        |

### AUTOMOTIVE SWITCH




| PART #  | DESCRIPTION    | RATING A       | RATING B        |
|---------|----------------|----------------|-----------------|
| 66-2255 | ON-OFF/SPST 2P | 16 AMPS/12 VDC | 10 AMPS/125 VAC |


### AUTOMOTIVE SWITCH




| PART #  | DESCRIPTION       | RATING A      | RATING B       |
|---------|-------------------|---------------|----------------|
| 66-2256 | ON-ON/SPDT 3P     | 13 AMPS/12VDC | 10 AMP/125 VAC |
| 66-2257 | ON-OFF-ON/SPDT 3P | 13 AMPS/12VDC | 10 AMP/125 VAC |

**ILLUMINATED AUTOMOTIVE SWITCH**



| PART #        | DESCRIPTION    | RATING A      | LAMP VOLTAGE |
|---------------|----------------|---------------|--------------|
| 66-2271 AMBER | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2272 BLUE  | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2273 GREEN | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2274 RED   | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |

**AUTOMOTIVE SWITCH**



| PART #  | DESCRIPTION    | RATING A      | RATING B       |
|---------|----------------|---------------|----------------|
| 66-2276 | ON-OFF/SPST 2P | 20 AMPS/12VDC | 10 AMP/125 VAC |

**ILLUMINATED AUTOMOTIVE SWITCH**



| PART #        | DESCRIPTION    | RATING A                   |
|---------------|----------------|----------------------------|
| 66-2050 RED   | ON-OFF/SPST 3P | 25 AMPS/12 VDC (WITH LAMP) |
| 66-2051 BLUE  | ON-OFF/SPST 3P | 25 AMPS/12 VDC (WITH LAMP) |
| 66-2052 GREEN | ON-OFF/SPST 3P | 25 AMPS/12 VDC (WITH LAMP) |
| 66-2053 AMBER | ON-OFF/SPST 3P | 25 AMPS/12 VDC (WITH LAMP) |

**ILLUMINATED AUTOMOTIVE SWITCH**



| PART #        | DESCRIPTION    | RATING A      | LAMP VOLTAGE |
|---------------|----------------|---------------|--------------|
| 66-2022 AMBER | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2012 BLUE  | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2032 GREEN | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2002 RED   | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |

**ILLUMINATED AUTOMOTIVE SWITCH**



| PART #        | DESCRIPTION    | RATING A      | LAMP VOLTAGE |
|---------------|----------------|---------------|--------------|
| 66-2035 AMBER | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2036 BLUE  | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2037 GREEN | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |
| 66-2038 RED   | ON-OFF/SPST 3P | 20 AMPS/12VDC | 12VDC        |

**AUTOMOTIVE SWITCH**


| PART #  | DESCRIPTION    | RATING A       | RATING B        |
|---------|----------------|----------------|-----------------|
| 66-2023 | ON-OFF/SPST 2P | 20 AMPS/12 VDC | 10 AMPS/125 VAC |

**AUTOMOTIVE SWITCH**


| PART #  | DESCRIPTION       | RATING A      | RATING B        |
|---------|-------------------|---------------|-----------------|
| 66-2024 | ON-ON/SPDT 3P     | 20 AMPS/12VDC | 10 AMPS/125 VAC |
| 66-2025 | ON-OFF-ON/SPDT 3P | 20 AMPS/12VDC | 10 AMPS/125 VAC |


**AUTOMOTIVE SWITCH**


| PART #  | DESCRIPTION | RATING A       | RATING B       |
|---------|-------------|----------------|----------------|
| 66-2298 | DPDT 5P     | 20 AMPS/12 VDC | 10 AMPS/30 VDC |




## SWITCHES

### ILLUMINATED AUTOMOTIVE SWITCH




| PART #  | DESCRIPTION         | RATING A       | LAMP VOLTAGE |
|---------|---------------------|----------------|--------------|
| 66-2299 | DPDT 5P (WITH LAMP) | 20 AMPS/12 VDC | 12 VDC       |

### PIN SWITCH




| PART #  | DESCRIPTION | RATING A       | RATING B |
|---------|-------------|----------------|----------|
| 66-3020 | ON-(OFF)    | 20 AMPS/12 VDC | —        |

### PIN SWITCH




| PART #  | DESCRIPTION | RATING A       | RATING B |
|---------|-------------|----------------|----------|
| 66-3021 | ON-(OFF)    | 20 AMPS/12 VDC | —        |

### SWITCH COVER



| PART #  | DESCRIPTION                      |
|---------|----------------------------------|
| 66-5000 | SWITCH COVER WITH WATERPROOF CAP |

### SWITCH COVER WITH O-RING




| PART #  | DESCRIPTION                               |
|---------|-------------------------------------------|
| 66-5001 | SWITCH COVER WITH O-RING & WATERPROOF CAP |

### SWITCH COVER




| PART #  | DESCRIPTION                               |
|---------|-------------------------------------------|
| 66-5002 | SWITCH COVER WITH O-RING & WATERPROOF CAP |

### AIRCRAFT TYPE SWITCH COVER



| PART #         | PART #                    |
|----------------|---------------------------|
| 66-5009 PURPLE | 66-5015 RED               |
| 66-5010 BLACK  | 66-5016 TRANSPARENT       |
| 66-5011 BLUE   | 66-5017 YELLOW            |
| 66-5012 CHROME | 66-5018 TRANSPARENT RED   |
| 66-5013 GREEN  | 66-5019 TRANSPARENT BLUE  |
| 66-5014 CARBON | 66-5020 TRANSPARENT GREEN |

### NON-ILLUMINATED GAME SWITCH



| PART #   | DESCRIPTION                            | RATING B     |
|----------|----------------------------------------|--------------|
| GMS-8B-C | NO/NC: AMBER, BLUE, GREEN, RED & WHITE | 5 AMP/12 VDC |

### ILLUMINATED GAME SWITCH



AVAILABLE IN:  
AMBER, BLUE,  
GREEN, RED &  
WHITE

| PART #    | DESCRIPTION | RATING A     | LAMP VOLTAGE |
|-----------|-------------|--------------|--------------|
| GMSI-7B-C | NO/NC       | 5 AMP/12 VDC | 12VDC        |

### ILLUMINATED GAME SWITCH



AVAILABLE  
IN: AMBER,  
BLUE, GREEN,  
RED & WHITE


| PART #    | DESCRIPTION | RATING A     | LAMP VOLTAGE |
|-----------|-------------|--------------|--------------|
| GMSI-5B-S | NO/NC       | 5 AMP/12 VDC | 12VDC        |



## ILLUMINATED GAME SWITCH



AVAILABLE IN:  
AMBER, BLUE,  
GREEN, RED &  
WHITE




| PART #    | DESCRIPTION | RATING A     | LAMP VOLTAGE |
|-----------|-------------|--------------|--------------|
| GMSI-4B-C | NO/NC       | 5 AMP/12 VDC | 12VDC        |

## ILLUMINATED GAME SWITCH



AVAILABLE IN:  
AMBER, BLUE,  
GREEN, RED &  
WHITE




| PART #    | DESCRIPTION | RATING A     | LAMP VOLTAGE |
|-----------|-------------|--------------|--------------|
| GMSI-3B-R | NO/NC       | 5 AMP/12 VDC | 12VDC        |

## ILLUMINATED GAME SWITCH



AVAILABLE IN:  
AMBER, BLUE,  
GREEN, RED &  
WHITE




| PART #    | DESCRIPTION | RATING A     | LAMP VOLTAGE |
|-----------|-------------|--------------|--------------|
| GMSI-2B-S | NO/NC       | 5 AMP/12 VDC | 12VDC        |

## ILLUMINATED GAME SWITCH




AVAILABLE IN:  
AMBER, BLUE,  
GREEN, RED &  
WHITE



| PART #    | DESCRIPTION | RATING A     | LAMP VOLTAGE |
|-----------|-------------|--------------|--------------|
| GMSI-1B-C | NO/NC       | 5 AMP/12 VDC | 12VDC        |

### PIN SWITCH - LONG




| PART #  | DESCRIPTION                        | LENGTH |
|---------|------------------------------------|--------|
| 66-3007 | ACCEPTS .156" DIAMETER MALE BULLET | 2.5"   |

## PIN SWITCH



| PART #  | DESCRIPTION                        | LENGTH |
|---------|------------------------------------|--------|
| 66-3008 | ACCEPTS .156" DIAMETER MALE BULLET | 2.0"   |


### PIN SWITCH- ADJUSTABLE HEAD



ALLOWS FOR PLUNGER  
HEIGHT ADJUSTMENT

| PART #  | DESCRIPTION                        | LENGTH |
|---------|------------------------------------|--------|
| 66-3014 | ACCEPTS .156" DIAMETER MALE BULLET | 2.0"   |


### PIN SWITCH - LONG ADJUSTABLE HEAD



ALLOWS FOR PLUNGER  
HEIGHT ADJUSTMENT

| PART #  | DESCRIPTION                        | LENGTH |
|---------|------------------------------------|--------|
| 66-3013 | ACCEPTS .156" DIAMETER MALE BULLET | 2.5"   |


### RIGHT ANGLE PIN SWITCH - LONG ADJUSTABLE HEAD



ALLOWS FOR PLUNGER  
HEIGHT ADJUSTMENT

| PART #  | DESCRIPTION                        | LENGTH |
|---------|------------------------------------|--------|
| 66-3015 | ACCEPTS .156" DIAMETER MALE BULLET | 2.5"   |


### NYLON TIPPED PIN SWITCH



| PART #  | DESCRIPTION                        | LENGTH |
|---------|------------------------------------|--------|
| 66-3022 | ACCEPTS .156" DIAMETER MALE BULLET | 2.0"   |


## SWITCHES

### PIN SWITCH- FLANGE MOUNTED




| PART #  | DESCRIPTION     | LENGTH |
|---------|-----------------|--------|
| 66-3005 | COPPER QC TERM. | 2.75"  |

### PIN SWITCH- NICKEL PLATED




| PART #  | DESCRIPTION                     |
|---------|---------------------------------|
| 66-3023 | TIN PLATED BRASS Q.C. TERMINALS |

### PIN SWITCH- NICKEL PLATED & RUBBER BOOT




| PART #  | DESCRIPTION                                    |
|---------|------------------------------------------------|
| 66-3024 | RESIZEABLE POLYCARBONATE PLUNGER & RUBBER BOOT |

### PIN SWITCH- VERTICAL FLANGE MOUNT





| PART #  | DESCRIPTION                 |
|---------|-----------------------------|
| 66-3025 | FOR UNDER-HOOD APPLICATIONS |

### DELUXE PIN SWITCH




| PART #  | DESCRIPTION                              | LENGTH |
|---------|------------------------------------------|--------|
| 66-3001 | HEAVY STEEL MOUNTING PLATE W/ .250" MALE | 1.625" |

### SLIDING VAN DOOR SWITCH




| PART #  | DESCRIPTION                           |
|---------|---------------------------------------|
| 66-3026 | DOUBLE PIN SWITCH WITH MATCHING PLATE |

### REED SWITCH WITH MAGNET




| PART #  | DESCRIPTION                               |
|---------|-------------------------------------------|
| 66-2812 | NORMALLY OPEN/NORMALLY CLOSED WITH MAGNET |

### REED SWITCH WITH MAGNET




| PART #  | DESCRIPTION                       |
|---------|-----------------------------------|
| 66-3030 | N.O. WITH 12" LEADS & TEST POINTS |

### MERCURY TILT SWITCH




| PART #  | DESCRIPTION                       |
|---------|-----------------------------------|
| 66-3031 | N.O. WITH 12" LEADS & TEST POINTS |

## PIN SWITCH BRACKET- RIGHT ANGLE




| PART #  | DESCRIPTION                                              |
|---------|----------------------------------------------------------|
| 66-5005 | 18G. BRACKET, .25" THREADED HOLE, 1.125" ADJUSTMENT SLOT |

## PIN SWITCH BRACKET




| PART #  | DESCRIPTION                                              |
|---------|----------------------------------------------------------|
| 66-5006 | 18G. BRACKET, .25" THREADED HOLE, 1.125" ADJUSTMENT SLOT |

## KEY SWITCH




| PART #  | DESCRIPTION                  |
|---------|------------------------------|
| 66-2802 | SPST ON-OFF ROUND KEY SWITCH |

## KEY SWITCH




| PART #  | DESCRIPTION                     |
|---------|---------------------------------|
| 66-2804 | MOMENTARY (ON) ROUND KEY SWITCH |

## KEY SWITCH




| PART #  | DESCRIPTION                 |
|---------|-----------------------------|
| 66-2808 | SPST ON-OFF FLAT KEY SWITCH |

## RECTANGLE ILLUMINATED LED PANEL LAMPS




| PART #  | DESCRIPTION            | VOLTAGE |
|---------|------------------------|---------|
| NN12RR  | RED PANEL LAMP 12mmØ   | 3-12VDC |
| NN12RBL | BLUE PANEL LAMP 12mmØ  | 3-12VDC |
| NN12RGR | GREEN PANEL LAMP 12mmØ | 3-12VDC |
| NN12ROR | AMBER PANEL LAMP 12mmØ | 3-12VDC |

## ROUND ILLUMINATED LED PANEL LAMPS




| PART #  | DESCRIPTION            | VOLTAGE |
|---------|------------------------|---------|
| NN12CR  | RED PANEL LAMP 12mmØ   | 3-12VDC |
| NN12CBL | BLUE PANEL LAMP 12mmØ  | 3-12VDC |
| NN12CGR | GREEN PANEL LAMP 12mmØ | 3-12VDC |
| NN12COR | AMBER PANEL LAMP 12mmØ | 3-12VDC |

## SQUARE ILLUMINATED LED PANEL LAMPS



| PART #  | DESCRIPTION            | VOLTAGE |
|---------|------------------------|---------|
| NN12SR  | RED PANEL LAMP 12mmØ   | 3-12VDC |
| NN12SBL | BLUE PANEL LAMP 12mmØ  | 3-12VDC |
| NN12SGR | GREEN PANEL LAMP 12mmØ | 3-12VDC |
| NN12SOR | AMBER PANEL LAMP 12mmØ | 3-12VDC |


## RECTANGLE ILLUMINATED LED PANEL LAMPS



| PART #  | DESCRIPTION            | VOLTAGE |
|---------|------------------------|---------|
| NN10RR  | RED PANEL LAMP 10mmØ   | 3-12VDC |
| NN10RBL | BLUE PANEL LAMP 10mmØ  | 3-12VDC |
| NN10RGR | GREEN PANEL LAMP 10mmØ | 3-12VDC |
| NN10ROR | AMBER PANEL LAMP 10mmØ | 3-12VDC |


## SWITCHES

### ROUND ILLUMINATED LED PANEL LAMPS




| PART #  | DESCRIPTION            | VOLTAGE |
|---------|------------------------|---------|
| NN10CR  | RED PANEL LAMP 10mmØ   | 3-12VDC |
| NN10CBL | BLUE PANEL LAMP 10mmØ  | 3-12VDC |
| NN10CGR | GREEN PANEL LAMP 10mmØ | 3-12VDC |
| NN10COR | AMBER PANEL LAMP 10mmØ | 3-12VDC |

### SQUARE ILLUMINATED LED PANEL LAMPS




| PART #  | DESCRIPTION            | VOLTAGE |
|---------|------------------------|---------|
| NN10SR  | RED PANEL LAMP 10mmØ   | 3-12VDC |
| NN10SBL | BLUE PANEL LAMP 10mmØ  | 3-12VDC |
| NN10SGR | GREEN PANEL LAMP 10mmØ | 3-12VDC |
| NN10SOR | AMBER PANEL LAMP 10mmØ | 3-12VDC |

### SQUARE ILLUMINATED LAMP



| PART #  | DESCRIPTION            | VOLTAGE |
|---------|------------------------|---------|
| N799PA  | AMBER Panel Lamp 12mmØ | 12VDC   |
| N799PBL | BLUE Panel Lamp 12mmØ  | 12VDC   |
| N799PC  | CLEAR Panel Lamp 12mmØ | 12VDC   |
| N799PG  | GREEN Panel Lamp 12mmØ | 12VDC   |
| N799PR  | RED Panel Lamp 12mmØ   | 12VDC   |

### ROUND ILLUMINATED LAMP



| PART #  | DESCRIPTION                         | VOLTAGE |
|---------|-------------------------------------|---------|
| N599PR  | RED Panel lamp with leads 12.7mmØ   | 12VDC   |
| N599PBL | BLUE Panel lamp with leads 12.7mmØ  | 12VDC   |
| N599PG  | GREEN Panel lamp with leads 12.7mmØ | 12VDC   |
| N599PA  | AMBER Panel lamp with leads 12.7mmØ | 12VDC   |
| N699PR  | RED Panel lamp with leads 12.7mmØ   | 120VAC  |
| N699PBL | BLUE Panel lamp with leads 12.7mmØ  | 120VAC  |
| N699PG  | GREEN Panel lamp with leads 12.7mmØ | 120VAC  |
| N699PA  | AMBER Panel lamp with leads 12.7mmØ | 120VAC  |