THERMOSLEEVE-USA CONFIDENTIAL FASTENER DISTRIBUTOR PRICE SHEET JANUARY 1, 2020



The items listed on these pages represent our most popular series of tubing materials that are stocked in our Cerritos, California warehouse. Thermosleeve offers a vast selection of tubing products in various sizes, colors and put-up lengths.

For all other part numbers listed in either our literature or on our website, please contact us by phone or e-mail for pricing and availability.



DART.#	DESCRIPTION	UOM	HOME	OTV	OTV č
PART # HST12X12W	DESCRIPTION HEAT CHRINIC TURING WHITE 1/2		UOM \$	QTY	QTY\$
	HEAT SHRINK TUBING WHITE 1/2	1'	\$0.18	25	\$4.50
HST12X12Y	HEAT SHRINK TUBING YELLOW 1/2"	1'	\$0.18	25	\$4.50
HST34X12BK	HEAT SHRINK TUBING BLACK 3/4"	1'	\$0.34	25	\$8.50
HST34X12BL HST34X12C	HEAT SHRINK TUBING BLUE 3/4" HEAT SHRINK TUBING CLEAR 3/4"	1' 1'	\$0.34 \$0.34	25 25	\$8.50 \$8.50
HST34X12C	HEAT SHRINK TUBING GREEN 3/4"	1'	\$0.34	25	\$8.50
HST34X12G	HEAT SHRINK TUB RED 3/4"	1'	\$0.34	25	\$8.50
HST34X12V	HEAT SHRINK TUBING VIOLET 3/4"	1'	\$0.34	25	\$8.50
HST34X12W	HEAT SHRINK TUBING WHITE 3/4"	1'	\$0.34	25	\$8.50
HST34X12Y	HEAT SHRINK TUBING YELLOW 3/4"	1'	\$0.34	25	\$8.50
HST01X12BK	HEAT SHRINK TUBING BLACK 1"	1'	\$0.40	25	\$10.00
HST01X12BL	HEAT SHRINK TUBING BLUE 1"	1'	\$0.40	25	\$10.00
HST01X12C	HEAT SHRINK TUBING CLEAR 1"	1'	\$0.40	25	\$10.00
HST01X12G	HEAT SHRINK TUBING GREEN 1"	1'	\$0.40	25	\$10.00
HST01X12R	HEAT SHRINK TUBING RED 1"	1'	\$0.40	25	\$10.00
HST01X12V	HEAT SHRINK TUBING VIOLET 1"	1'	\$0.40	25	\$10.00
HST01X12W	HEAT SHRINK TUBING WHITE 1"	1'	\$0.40	25	\$10.00
HST01X12Y	HEAT SHRINK TUBING YELLOW 1"	1'	\$0.40	25	\$10.00
4 FT STICKS Ava	ailable in sizes from 3/64" to 1" ID7				
LICTAC ADICA	LICAT CLIDIALIZATI DIALC DI ACIZ 2/CATI AL	41	ć0.20	25	ć7.25
HST364BK4 HST364BL4	HEAT SHRINK TUBING BLACK 3/64" x 4' HEAT SHRINK TUBING BLUE 3/64" x 4'	4' 4'	\$0.29 \$0.29	25 25	\$7.25 \$7.25
HST364C4	HEAT SHRINK TUBING BLUE 3/64 " x 4"	4'	\$0.29	25	\$7.25
HST364G4	HEAT SHRINK TUBING CLEAR 3/64" x 4"	4'	\$0.29	25	\$7.25
HST364R4	HEAT SHRINK TUBING GREEN 3/64 X 4'	4'	\$0.29	25	\$7.25
HST364V4	HEAT SHRINK TUBING VIOLET 3/64" x 4'	4'	\$0.29	25	\$7.25
HST364W4	HEAT SHRINK TUBING WHITE 3/64" x 4'	4'	\$0.29	25	\$7.25
HST364Y4	HEAT SHRINK TUBING YELLOW 3/64" x 4'	4'	\$0.29	25	\$7.25
HST116BK4	HEAT SHRINK TUBING BLACK 1/16" x 4'	4'	\$0.32	25	\$8.00
HST116BL4	HEAT SHRINK TUBING BLUE 1/16" x 4'	4'	\$0.32	25	\$8.00
HST116C4	HEAT SHRINK TUBING CLEAR 1/16" x 4'	4'	\$0.32	25	\$8.00
HST116G4	HEAT SHRINK TUBING GREEN 1/16" x 4'	4'	\$0.32	25	\$8.00
HST116R4	HEAT SHRINK TUB RED 1/16" x 4'	4'	\$0.32	25	\$8.00
HST116V4	HEAT SHRINK TUBING VIOLET 1/16" x 4'	4'	\$0.32	25	\$8.00
HST116W4	HEAT SHRINK TUBING WHITE 1/16" x 4'	4'	\$0.32	25	\$8.00
HST116Y4	HEAT SHRINK TUBING YELLOW 1/16" x 4'	4'	\$0.32	25	\$8.00
HST332BK4	HEAT SHRINK TUBING BLACK 3/32" x 4'	4'	\$0.34	25	\$8.50
HST332BL4	HEAT SHRINK TUBING BLUE 3/32" x 4'	4'	\$0.34	25	\$8.50
HST332C4	HEAT SHRINK TUBING CLEAR 3/32" x 4'	4'	\$0.34	25	\$8.50
HST332G4	HEAT SHRINK TUBING GREEN 3/32" x 4'	4'	\$0.34	25	\$8.50
HST332R4	HEAT SHRINK TUB RED 3/32" x 4'	4'	\$0.34	25	\$8.50
HST332V4	HEAT SHRINK TUBING VIOLET 3/32" x 4'	4'	\$0.34	25	\$8.50
HST332W4	HEAT SHRINK TUBING WHITE 3/32" x 4'	4'	\$0.34	25	\$8.50
HST332Y4	HEAT SHRINK TUBING YELLOW 3/32" x 4'	4'	\$0.34	25	\$8.50
HST18BK4	HEAT SHRINK TUBING BLACK 1/8" x 4'	4'	\$0.43	25	\$10.75
HST18BL4	HEAT SHRINK TUBING BLUE 1/8" x 4'	4'	\$0.43	25	\$10.75
HST18C4	HEAT SHRINK TUBING CLEAR 1/8" x 4'	4'	\$0.43	25	\$10.75
HST18G4	HEAT SHRINK TUBING GREEN 1/8" x 4'	4'	\$0.43	25	\$10.75
HST18R4 HST18V4	HEAT SHRINK TUB RED 1/8" x 4' HEAT SHRINK TUBING VIOLET 1/8" x 4'	4' 4'	\$0.43 \$0.43	25 25	\$10.75 \$10.75
HST18W4	HEAT SHRINK TUBING WHITE 1/8" x 4'	4'	\$0.43	25	\$10.75
HST18Y4	HEAT SHRINK TUBING WHITE 1/8 X 4'	4'	\$0.43	25	\$10.75
HST316BK4	HEAT SHRINK TUBING BLACK 3/16" x 4'	4'	\$0.45	25	\$10.75
HST316BL4	HEAT SHRINK TUBING BLUE 3/16" x 4'	4'	\$0.46	25	\$11.50
HST316C4	HEAT SHRINK TUBING CLEAR 3/16" x 4'	4'	\$0.46	25	\$11.50
HST316G4	HEAT SHRINK TUBING GREEN 3/16" x 4'	4'	\$0.46	25	\$11.50
HST316R4	HEAT SHRINK TUB RED 3/16" x 4'	4'	\$0.46	25	\$11.50
HST316V4	HEAT SHRINK TUBING VIOLET 3/16" x 4'	4'	\$0.46	25	\$11.50
HST316W4	HEAT SHRINK TUB TUBING WHITE 3/16" x 4'	4'	\$0.46	25	\$11.50
HST316Y4	HEAT SHRINK TUBING YELLOW 3/16" x 4'	4'	\$0.46	25	\$11.50
HST14BK4	HEAT SHRINK TUBING BLACK 1/4" x 4'	4'	\$0.50	25	\$12.50
HST14BL4	HEAT SHRINK TUBING BLUE 1/4" x 4'	4'	\$0.50	25	\$12.50
HST14C4	HEAT SHRINK TUBING CLEAR 1/4" x 4'	4'	\$0.50	25	\$12.50
HST14G4	HEAT SHRINK TUBING GREEN 1/4" x 4'	4'	\$0.50	25	\$12.50
HST14R4	HEAT SHRINK TUB RED 1/4" x 4'	4'	\$0.50	25	\$12.50
HST14V4	HEAT SHRINK TUBING VIOLET 1/4" x 4'	4'	\$0.50	25	\$12.50
HST14W4	HEAT SHRINK TUBING WHITE 1/4" x 4'	4'	\$0.50	25	\$12.50
HST14Y4	HEAT SHRINK TUBING YELLOW 1/4" x 4'	4'	\$0.50	25	\$12.50
HST38BK4	HEAT SHRINK TUBING BLACK 3/8" x 4'	4'	\$0.62	25	\$15.50
HST38BL4	HEAT SHRINK TUBING BLUE 3/8" x 4'	4'	\$0.62	25	\$15.50
LICT20C1	LIEAT CHDINK TUDING CLEAD 2/0" v /l'	41	\$0.62	25	¢15.50

4'

\$0.62

\$0.62

\$0.62

25

25

25

\$15.50

\$15.50

\$15.50

HEAT SHRINK TUBING CLEAR 3/8" x 4'

HEAT SHRINK TUBING GREEN 3/8" x 4'

HEAT SHRINK TUBING VIOLET 3/8" x 4"

HEAT SHRINK TUB RED 3/8" x 4'

PART #	DESCRIPTION			UOM	PRICE
HST38W4	HEAT SHRINK TUBING WHITE 3/8" x 4'	4'	\$0.62	25	\$15.50
HST38Y4	HEAT SHRINK TUBING YELLOW 3/8" x 4'	4'	\$0.62	25	\$15.50
HST12BK4	HEAT SHRINK TUBING BLACK 1/2" x 4'	4'	\$0.69	25	\$17.25
HST12BL4	HEAT SHRINK TUBING BLUE 1/2" x 4'	4'	\$0.69	25	\$17.25
HST12C4	HEAT SHRINK TUBING CLEAR 1/2" x 4'	4'	\$0.69	25	\$17.25
HST12G4	HEAT SHRINK TUBING GREEN 1/2" x 4'	4'	\$0.69	25	\$17.25
HST12R4	HEAT SHRINK TUB RED 1/2" x 4'	4'	\$0.69	25	\$17.25
HST12V4	HEAT SHRINK TUBING VIOLET 1/2" x 4'	4'	\$0.69	25	\$17.25
HST12W4	HEAT SHRINK TUBING WHITE 1/2 x 4'	4'	\$0.69	25	\$17.25
HST12Y4	HEAT SHRINK TUBING YELLOW 1/2" x 4'	4'	\$0.69	25	\$17.25
HST34BK4	HEAT SHRINK TUBING BLACK 3/4" x 4'	4'	\$1.28	25	\$32.00
HST34BL4	HEAT SHRINK TUBING BLUE 3/4" x 4'	4'	\$1.28	25	\$32.00
HST34C4	HEAT SHRINK TUBING CLEAR 3/4" x 4'	4'	\$1.28	25	\$32.00
HST34G4	HEAT SHRINK TUBING GREEN 3/4" x 4'	4'	\$1.28	25	\$32.00
HST34R4	HEAT SHRINK TUB RED 3/4" x 4'	4'	\$1.28	25	\$32.00
HST34V4	HEAT SHRINK TUBING VIOLET 3/4" x 4'	4'	\$1.28	25	\$32.00
HST34W4	HEAT SHRINK TUBING WHITE 3/4" x 4'	4'	\$1.28	25	\$32.00
HST34Y4	HEAT SHRINK TUBING YELLOW 3/4" x 4'	4'	\$1.28	25	\$32.00
HST01BK4	HEAT SHRINK TUBING BLACK 1" x 4'	4'	\$1.57	25	\$39.25
HST01BL4	HEAT SHRINK TUBING BLUE 1" x 4'	4'	\$1.57	25	\$39.25
HST01C4	HEAT SHRINK TUBING CLEAR 1" x 4'	4'	\$1.57	25	\$39.25
HST01G4	HEAT SHRINK TUBING GREEN 1" x 4'	4'	\$1.57	25	\$39.25
HST01R4	HEAT SHRINK TUBING RED 1" x 4'	4'	\$1.57	25	\$39.25
HST01V4	HEAT SHRINK TUBING VIOLET 1" x 4'	4'	\$1.57	25	\$39.25
HST01W4	HEAT SHRINK TUBING WHITE 1" x 4'	4'	\$1.57	25	\$39.25
HST01Y4	HEAT SHRINK TUBING YELLOW 1" x 4'	4'	\$1.57	25	\$39.25



SINGLE WALL HEAT SHRINK- SPOOLS

- 2:1 shrink ratio UL & CSA certified at 600V @ 125℃
- \bullet Shrink temp. 90-120 °C \bullet UL File E180908 (except clear).
- Available in sizes up to 4" ID

HST364BK	HEAT SHRINK TUBING BLACK 3/64"	C'	\$4.32
HST364BL	HEAT SHRINK TUBING BLUE 3/64"	C'	\$4.32
HST364C	HEAT SHRINK TUBING CLEAR 3/64"	C'	\$4.32
HST364G	HEAT SHRINK TUBING GREEN 3/64"	C'	\$4.32
HST364R	HEAT SHRINK TUBING RED 3/64"	C'	\$4.32
HST364V	HEAT SHRINK TUBING VIOLET 3/64"	C'	\$4.32
HST364W	HEAT SHRINK TUBING WHITE 3/64"	C'	\$4.32
HST364Y	HEAT SHRINK TUBING YELLOW 3/64"	C'	\$4.32
HST116BK	HEAT SHRINK TUBING BLACK 1/16"	C'	\$4.57
HST116BL	HEAT SHRINK TUBING BLUE 1/16"	C'	\$4.57
HST116C	HEAT SHRINK TUBING CLEAR 1/16"	C'	\$4.57
HST116G	HEAT SHRINK TUBING GREEN 1/16"	C'	\$4.57
HST116R	HEAT SHRINK TUBING RED 1/16"	C'	\$4.57
HST116V	HEAT SHRINK TUBING VIOLET 1/16"	C'	\$4.57
HST116W	HEAT SHRINK TUBING WHITE 1/16"	C'	\$4.57
HST116Y	HEAT SHRINK TUBING YELLOW 1/16"	C'	\$4.57
HST332BK	HEAT SHRINK TUBING BLACK 3/32"	C'	\$4.76
HST332BL	HEAT SHRINK TUBING BLUE 3/32"	C'	\$4.76
HST332C	HEAT SHRINK TUBING CLEAR 3/32"	C'	\$4.76
HST332G	HEAT SHRINK TUBING GREEN 3/32"	C'	\$4.76
HST332R	HEAT SHRINK TUBING RED 3/32"	C'	\$4.76
HST332V	HEAT SHRINK TUBING VIOLET 3/32"	C'	\$4.76
HST332W	HEAT SHRINK TUBING WHITE 3/32"	C'	\$4.76
HST332Y	HEAT SHRINK TUBING YELLOW 3/32"	C'	\$4.76
HST18BK	HEAT SHRINK TUBING BLACK 1/8"	C'	\$5.59
HST18BL	HEAT SHRINK TUBING BLUE 1/8"	C'	\$5.59
HST18C	HEAT SHRINK TUBING CLEAR 1/8"	C'	\$5.59
HST18G	HEAT SHRINK TUBING GREEN 1/8"	C'	\$5.59
HST18R	HEAT SHRINK TUBING RED 1/8"	C'	\$5.59
HST18V	HEAT SHRINK TUBING VIOLET 1/8"	C'	\$5.59
HST18W	HEAT SHRINK TUBING WHITE 1/8"	C'	\$5.59
HST18Y	HEAT SHRINK TUBING YELLOW 1/8"	C'	\$5.59
HST316BK	HEAT SHRINK TUBING BLACK 3/16"	C'	\$6.26
HST316BL	HEAT SHRINK TUBING BLUE 3/16"	C'	\$6.26
HST316C	HEAT SHRINK TUBING CLEAR 3/16"	C'	\$6.26
HST316G	HEAT SHRINK TUBING GREEN 3/16"	C'	\$6.26
HST316R	HEAT SHRINK TUBING RED 3/16"	C'	\$6.26
HST316V	HEAT SHRINK TUBING VIOLET 3/16"	C'	\$6.26
HST316W	HEAT SHRINK TUBING WHITE 3/16"	C'	\$6.26
HST316Y	HEAT SHRINK TUBING YELLOW 3/16"	C'	\$6.26
HST14BK	HEAT SHRINK TUBING BLACK 1/4"	C'	\$7.49
HST14BL	HEAT SHRINK TUBING BLUE 1/4"	C'	\$7.49
HST14C	HEAT SHRINK TUBING CLEAR 1/4"	C'	\$7.49
HST14G	HEAT SHRINK TUBING GREEN 1/4"	C'	\$7.49
HST14R	HEAT SHRINK TUBING RED 1/4"	C'	\$7.49
HST14V	HEAT SHRINK TUBING VIOLET 1/4"	C'	\$7.49
HST14W	HEAT SHRINK TUBING WHITE 1/4"	C'	\$7.49
HST14Y	HEAT SHRINK TUBING YELLOW 1/4"	C'	\$7.49
HST38BK	HEAT SHRINK TUBING BLACK 3/8"	C'	\$9.18
HST38BL	HEAT SHRINK TUBING BLUE 3/8"	C'	\$9.18
HST38C	HEAT SHRINK TUBING CLEAR 3/8"	C'	\$9.18
HST38G	HEAT SHRINK TUBING GREEN 3/8"	C'	\$9.18

PART #	DESCRIPTION	UOM	PRICE
HST38R	HEAT SHRINK TUBING RED 3/8"	C'	\$9.18
HST38V	HEAT SHRINK TUBING VIOLET 3/8"	C'	\$9.18
HST38W	HEAT SHRINK TUBING WHITE 3/8"	C'	\$9.18
HST38Y	HEAT SHRINK TUBING YELLOW 3/8"	C'	\$9.18
HST12BK	HEAT SHRINK TUBING BLACK 1/2"	C'	\$12.39
HST12BL	HEAT SHRINK TUBING BLUE 1/2"	C'	\$12.39
HST12C	HEAT SHRINK TUBING CLEAR 1/2"	C'	\$12.39
HST12G	HEAT SHRINK TUBING GREEN 1/2"	C'	\$12.39
HST12R100	HEAT SHRINK TUBING RED 1/2"	C'	\$12.39
HST12V	HEAT SHRINK TUBING VIOLET 1/2"	C'	\$12.39
HST12W	HEAT SHRINK TUBING WHITE 1/2"	C'	\$12.39
HST12Y	HEAT SHRINK TUBING YELLOW 1/2"	C'	\$12.39
HST34BK	HEAT SHRINK TUBING BLACK 3/4"	C'	\$23.12
HST34BL	HEAT SHRINK TUBING BLUE 3/4"	C'	\$23.12
HST34C	HEAT SHRINK TUBING CLEAR 3/4"	C'	\$23.12
HST34G	HEAT SHRINK TUBING GREEN 3/4"	C'	\$23.12
HST34R	HEAT SHRINK TUBING RED 3/4"	C'	\$23.12
HST34V	HEAT SHRINK TUBING VIOLET 3/4"	C'	\$23.12
HST34W	HEAT SHRINK TUBING WHITE 3/4"	C'	\$23.12
HST34V	HEAT SHRINK TUBING VELLOW 3/4"	C'	\$23.12
HST01BK	HEAT SHRINK TUBING BLACK 1"	C'	\$33.35
HSTO1BL	HEAT SHRINK TUBING BLACK T HEAT SHRINK TUBING BLUE 1"	C'	\$33.35
HST01C	HEAT SHRINK TUBING CLEAR 1"	C'	
			\$33.35
HST01G	HEAT SHRINK TUBING GREEN 1"	C'	\$33.35
HST01R	HEAT SHRINK TUBING RED 1"	C'	\$33.35
HST01V	HEAT SHRINK TUBING VIOLET 1"	C'	\$33.35
HST01W	HEAT SHRINK TUBING WHITE 1"	C'	\$33.35
HST01Y	HEAT SHRINK TUBING YELLOW 1"	C'	\$33.35
HST1-1/4BK100	HEAT SHRINK TUBING BLACK 1 1/4"	C'	\$39.52
HST1-1/4BL100	HEAT SHRINK TUBING BLUE 1 1/4"	C'	\$39.52
HST1-1/4C100	HEAT SHRINK TUBING CLEAR 1 1/4"	C'	\$39.52
HST1-1/4G100	HEAT SHRINK TUBING GREEN 1 1/4"	C'	\$39.52
HST1-1/4R100	HEAT SHRINK TUBING RED 1 1/4"	C'	\$39.52
HST1-1/4W100	HEAT SHRINK TUBING WHITE 1 1/4"	C'	\$39.52
HST1-1/4Y100	HEAT SHRINK TUBING YELLOW 1 1/4"	C'	\$39.52
HST1-1/2BK80	HEAT SHRINK TUBING BLACK 1 1/2"	80'	\$48.17
HST1-1/2BL80	HEAT SHRINK TUBING BLUE 1 1/2"	80'	\$48.17
HST1-1/2C80	HEAT SHRINK TUBING CLEAR 1 1/2"	80'	\$48.17
HST1-1/2G80	HEAT SHRINK TUBING GREEN 1 1/2"	80'	\$48.17
HST1-1/2R80	HEAT SHRINK TUBING RED 1 1/2"	80'	\$48.17
HST1-1/2W80	HEAT SHRINK TUBING WHITE 1 1/2"	80'	\$48.17
HST1-1/2Y80	HEAT SHRINK TUBING YELLOW 1 1/2"	80'	\$48.17
HST2BK80	HEAT SHRINK TUBING BLACK 2"	80'	\$74.19
HST2BL80	HEAT SHRINK TUBING BLUE 2"	80'	\$74.19
HST2C80	HEAT SHRINK TUBING CLEAR 2"	80'	\$74.19
HST2G80	HEAT SHRINK TUBING GREEN 2"	80'	\$74.19
HST2R80	HEAT SHRINK TUBING RED 2"	80'	\$74.19
HST2W80	HEAT SHRINK TUBING WHITE 2"	80'	\$74.19
HST2Y80	HEAT SHRINK TUBING YELLOW 2"	80'	\$74.19
HST3BK65	HEAT SHRINK TUBING BLACK 3"	65'	\$78.81
HST3C65	HEAT SHRINK TUBING CLEAR 3"	65'	\$78.81
HST3R65	HEAT SHRINK TUBING RED 3"	65'	\$78.81
HST4BK65	HEAT SHRINK TUBING BLACK 4"	65'	S128 56
HST4BK65 HST4C65	HEAT SHRINK TUBING BLACK 4" HEAT SHRINK TUBING CLEAR 4"	65' 65'	\$128.56 \$128.56



YELLOW GREEN SINGLE WALL HEAT SHRINK- SPOOL

- 2:1 shrink ratio UL & cUL certified at 600V @ 125°C
- Shrink temp. 120-150 °C UL File E180908.
- Available in sizes up to 1" ID

CBHFTYG3/16330	HEAT SHRINK TUBING WHITE 3/16"	330'	\$22.45
CBHFTYG1/8660	HEAT SHRINK TUBING WHITE 1/8"	660'	\$37.80
CBHFTYG1/4330	HEAT SHRINK TUBING WHITE 1/4"	330'	\$24.58
CBHFTYG3/8330	HEAT SHRINK TUBING WHITE 3/8"	330'	\$27.58
CBHFTYG1/2330	HEAT SHRINK TUBING WHITE 1/2"	330'	\$37.10
CBHFTYG3/4330	HEAT SHRINK TUBING WHITE 3/4"	330'	\$109.65
CRHETYG1165	HEAT SHRINK TURING WHITE 1"	165'	\$87.20




3X SINGLE WALL HEAT SHRINK- SPOOLED

- 3:1 shrink ratio UL & CSA certified at 600V @ 125°C
- Shrink temp. 90-120 °C UL File E180908.
- Available in sizes up to 1" ID

CBHFT3X3/16BK330	3:1 HEAT SHRINK TUBING BLACK 3/16"	330'	\$27.75
CBHFT3X1/8BK660	3:1 HEAT SHRINK TUBING BLACK 1/8"	660'	\$39.66
CBHFT3X1/4BK330	3:1 HEAT SHRINK TUBING BLACK 1/4"	330'	\$32.93
CBHFT3X3/8BK330	3:1 HEAT SHRINK TUBING BLACK 3/8"	330'	\$45.24

PART #	DESCRIPTION	UOM	PRICE
CBHFT3X1/2BK330	3:1 HEAT SHRINK TUBING BLACK 1/2"	330'	\$58.23
CBHFT3X3/4BK330	3:1 HEAT SHRINK TUBING BLACK 3/4"	330'	\$148.30
CBHFT3X1BK100	3:1 HEAT SHRINK TUBING BLACK 1"	C'	\$47.22

PART # DESCRIPTION UOM UOM \$ QTY QTY \$



DUAL WALL ADHESIVE-LINED HEAT SHRINK TUBING

• 3:1 shrink ratio • UL & cUL certified at 600V @ 125°C • Shrink temp. 110 °C

• UL File E180908 (except clear) • RoHS compliant • Black, Red, Clear

1 FT CUT PIECES

Adhesive-lined • 1/8" to 3/8"- 50 pieces/bag; 1/2 " to 1"- 25 pieces/bag; 1 1/4" to 2" 1 piece/bag

CBDWT3X1/8X12BK	DUAL WALL HEAT SHRINK BLACK 1/8"	1'	\$0.31	50	\$15.50
CBDWT3X1/8X12C	DUAL WALL HEAT SHRINK CLEAR 1/8"	1'	\$0.31	50	\$15.50
CBDWT3X1/8X12R	DUAL WALL HEAT SHRINK RED 1/8"	1'	\$0.31	50	\$15.50
CBDWT3X3/16X12BK	DUAL WALL HEAT SHRINK BLACK 3/16"	1'	\$0.38	50	\$19.00
CBDWT3X3/16X12C	DUAL WALL HEAT SHRINK CLEAR 3/16"	1'	\$0.38	50	\$19.00
CBDWT3X3/16X12R	DUAL WALL HEAT SHRINK RED 3/16"	1'	\$0.38	50	\$19.00
CBDWT3X1/4X12BK	DUAL WALL HEAT SHRINK BLACK 1/4"	1'	\$0.41	50	\$20.50
CBDWT3X1/4X12C	DUAL WALL HEAT SHRINK CLEAR 1/4"	1'	\$0.41	50	\$20.50
CBDWT3X1/4X12R	DUAL WALL HEAT SHRINK RED 1/4"	1'	\$0.41	50	\$20.50
CBDWT3X3/8X12BK	DUAL WALL HEAT SHRINK BLACK 3/8"	1'	\$0.59	50	\$29.50
CBDWT3X3/8X12C	DUAL WALL HEAT SHRINK CLEAR 3/8"	1'	\$0.59	50	\$29.50
CBDWT3X3/8X12R	DUAL WALL HEAT SHRINK RED 3/8"	1'	\$0.59	50	\$29.50
CBDWT3X1/2X12BK	DUAL WALL HEAT SHRINK BLACK 1/2"	1'	\$0.61	25	\$15.25
CBDWT3X1/2X12C	DUAL WALL HEAT SHRINK CLEAR 1/2"	1'	\$0.61	25	\$15.25
CBDWT3X1/2X12R	DUAL WALL HEAT SHRINK RED 1/2"	1'	\$0.61	25	\$15.25
CBDWT3X3/4X12BK	DUAL WALL HEAT SHRINK BLACK 3/4"	1'	\$0.90	25	\$22.50
CBDWT3X3/4X12C	DUAL WALL HEAT SHRINK CLEAR 3/4"	1'	\$0.90	25	\$22.50
CBDWT3X3/4X12R	DUAL WALL HEAT SHRINK RED 3/4"	1'	\$0.90	25	\$22.50
CBDWT3X1X12BK	DUAL WALL HEAT SHRINK BLACK 1"	1'	\$1.13	25	\$28.25
CBDWT3X1X12C	DUAL WALL HEAT SHRINK CLEAR 1"	1'	\$1.13	25	\$28.25
CBDWT3X1X12R	DUAL WALL HEAT SHRINK RED 1"	1'	\$1.13	25	\$28.25
CBDWT3X1-1/4X12BK	DUAL WALL HEAT SHRINK BLACK 1 1/4"	1'	\$1.58	1	\$1.58
CBDWT3X1-1/4X12C	DUAL WALL HEAT SHRINKCLEAR 1 1/4"	1'	\$1.58	1	\$1.58
CBDWT3X1-1/4X12R	DUAL WALL HEAT SHRINK RED 1 1/4"	1'	\$1.58	1	\$1.58
CBDWT3X1-1/2X12BK	DUAL WALL HEAT SHRINK BLACK 1 1/2"	1'	\$2.20	1	\$2.20
CBDWT3X1-1/2X12C	DUAL WALL HEAT SHRINK CLEAR 1 1/2"	1'	\$2.20	1	\$2.20
CBDWT3X1-1/2X12R	DUAL WALL HEAT SHRINK RED 1 1/2"	1'	\$2.20	1	\$2.20
CBDWT3X2X12BK	DUAL WALL HEAT SHRINK BLACK 2"	1'	\$2.34	1	\$2.34
CBDWT3X2X12C	DUAL WALL HEAT SHRINK CLEAR 2"	1'	\$2.34	1	\$2.34
CBDWT3X2X12R	DUAL WALL HEAT SHRINK RED 2"	1'	\$2.34	1	\$2.34

PART #	DESCRIPTION	UOM	PRICE

4FT STICKS 3:1 shrink ratio - adhesive-lined • UL & cUL certified at 600V @ 125°C • Shrink temp. 110 °C

• UL File E180908 (except clear) • RoHS compliant. Available in sizes up to 2" ID

CBDWT3X1/8BK4	DUAL WALL HEAT SHRINK BLACK 1/8"	4'	\$1.15
CBDWT3X1/8C4	DUAL WALL HEAT SHRINK CLEAR 1/8"	4'	\$1.15
CBDWT3X1/8R4	DUAL WALL HEAT SHRINK RED 1/8"	4'	\$1.15
CBDWT3X316BK4	DUAL WALL HEAT SHRINK BLACK 3/16"	4'	\$1.38
CBDWT3X316C4	DUAL WALL HEAT SHRINK CLEAR 3/16"	4'	\$1.38
CBDWT3X316R4	DUAL WALL HEAT SHRINKREDK 3/16"	4'	\$1.38
CBDWT3X1/4BK4	DUAL WALL HEAT SHRINK BLACK 1/4"	4'	\$1.58
CBDWT3X1/4C4	DUAL WALL HEAT SHRINK CLEAR 1/4"	4'	\$1.58
CBDWT3X1/4R4	DUAL WALL HEAT SHRINK RED 1/4"	4'	\$1.58
CBDWT3X38BK4	DUAL WALL HEAT SHRINK BLACK 3/8"	4'	\$2.20
CBDWT3X38C4	DUAL WALL HEAT SHRINK CLEAR 3/8"	4'	\$2.20
CBDWT3X38R4	DUAL WALL HEAT SHRINKREDK 3/8"	4'	\$2.20
CBDWT3X1/2BK4	DUAL WALL HEAT SHRINK BLACK 1/2"	4'	\$2.34
CBDWT3X1/2C4	DUAL WALL HEAT SHRINK CLEAR 1/2"	4'	\$2.34
CBDWT3X1/2R4	DUAL WALL HEAT SHRINK RED 1/2"	4'	\$2.34
CBDWT3X34BK4	DUAL WALL HEAT SHRINK BLACK 3/4"	4'	\$3.36
CBDWT3X34C4	DUAL WALL HEAT SHRINK CLEAR 3/4"	4'	\$3.36
CBDWT3X34R4	DUAL WALL HEAT SHRINKREDK 3/4"	4'	\$3.36
CBDWT3X1BK4	DUAL WALL HEAT SHRINK BLACK 1"	4'	\$4.29
CBDWT3X1C4	DUAL WALL HEAT SHRINK CLEAR 1"	4'	\$4.29
CBDWT3X1R4	DUAL WALL HEAT SHRINKREDK 1"	4'	\$4.29
CBDWT3X1-1/4BK4	DUAL WALL HEAT SHRINK BLACK 1 1/4"	4'	\$4.99
CBDWT3X1-1/4C4	DUAL WALL HEAT SHRINK CLEAR 1 1/4"	4'	\$4.99
CBDWT3X1-1/4R4	DUAL WALL HEAT SHRINK RED 1 1/4"	4'	\$4.99
CBDWT3X1-1/2BK4	DUAL WALL HEAT SHRINK BLACK 1 1/2"	4'	\$7.05
CBDWT3X1-1/2C4	DUAL WALL HEAT SHRINK CLEAR 1 1/2"	4'	\$7.05
CBDWT3X1-1/2R4	DUAL WALL HEAT SHRINK RED 1 1/2"	4'	\$7.05
CBDWT3X2BK4	DUAL WALL HEAT SHRINK BLACK 2"	4'	\$13.20
CBDWT3X2C4	DUAL WALL HEAT SHRINK CLEAR 2"	4'	\$13.20
CBDWT3X2R4	DUAL WALL HEAT SHRINKREDK 2"	4'	\$13.20

PART # DESCRIPTION UOM PRICE



MEDIUM WALL ADHESIVE-LINED HEAT SHRINK TUBING- 4FT STICKS

• 3:1 & 4:1 shrink ratio • Shrink temp. 120 °C • UL File E180908 • RoHS compliant • From 5/16" to 3"

MWTA516BK	MEDIUM WALL HEAT SHRINK TUBING BLACK 5/16" x 4'	4'	\$1.01
MWTA118BK	MEDIUM WALL HEAT SHRINK TUBING BLACK 1 1/8" x 4'	4'	\$2.95
MWTA1-1/4BK4	MEDIUM WALL HEAT SHRINK TUBING BLACK 1 1/4" x 4'	4'	\$3.00
MWTA1916BK	MEDIUM WALL HEAT SHRINK TUBING BLACK 1 9/16" x 4'	4'	\$4.05
MWTA2316BK	MEDIUM WALL HEAT SHRINK TUBING BLACK 2 3/16" x 4'	4'	\$5.30
MW/TA03RK	MEDILIM WALL HEAT SHRINK TURING BLACK 3" v 4"	4'	\$7.50



HEAVY WALL ADHESIVE-LINED HEAT SHRINK TUBING- 4FT STICKS

3:1 & 4:1 shrink ratio • Shrink temp. 120 °C

• UL File E180908 • RoHS compliant

HWTA3/8BK4	HEAVY WALL HEAT SHRINK TUBING BLACK 3/8" x 4'	4'	\$1.52
HWTA3/8R4	HEAVY WALL HEAT SHRINK TUBING RED 3/8" x 4'	4'	\$1.75
HWTA1/2BK4	HEAVY WALL HEAT SHRINK TUBING BLACK 1/2" x 4'	4'	\$2.38
HWTA1/2R4	HEAVY WALL HEAT SHRINK TUBING RED 1/2" x 4'	4'	\$2.82
HWTA3/4BK4	HEAVY WALL HEAT SHRINK TUBING BLACK 3/4" x 4'	4'	\$3.35
HWTA3/4R4	HEAVY WALL HEAT SHRINK TUBING RED 3/4" x 4'	4'	\$3.84
HWTA1-3/8BK4	HEAVY WALL HEAT SHRINK TUBING BLACK 1 3/8" x 4'	4'	\$4.66
HWTA1-3/8R4	HEAVY WALL HEAT SHRINK TUBING RED 1 3/8" x 4'	4'	\$4.90
HWTA1-1/2BK4	HEAVY WALL HEAT SHRINK TUBING BLACK 1 1/2" x 4'	4'	\$5.15
HWTA1-1/2R4	HEAVY WALL HEAT SHRINK TUBING RED 1 1/2" x 4'	4'	\$5.90
HWTA1-3/4BK4	HEAVY WALL HEAT SHRINK TUBING BLACK 1 3/4" x 4'	4'	\$5.42
HWTA1-3/4R4	HEAVY WALL HEAT SHRINK TUBING RED 1 3/4" x 4'	4'	\$6.25
HWTA2-1/8BK4	HEAVY WALL HEAT SHRINK TUBING BLACK 2 1/8" x 4'	4'	\$6.03
HWTA2-1/8R4	HEAVY WALL HEAT SHRINK TUBING RED 2 1/8" x 4'	4'	\$6.65
HWTA3-3/8BK4	HEAVY WALL HEAT SHRINK TUBING BLACK 3 3/8" x 4'	4'	\$9.78
HWTA3-3/8R4	HEAVY WALL HEAT SHRINK TUBING RED 3 3/8" x 4'	4'	\$10.71



SINGLE WALL HEAT SHRINK- MARKER SLEEVES

- 3:1 shrink ratio UL & CSA certified at 600V @ 125°C
- UL & MIL Spec print performance
- Shrink temp. 90-120 °C UL File E180908
- Available in 100 ft. spools in 1/8" up to 1" ID
 White; other colors available as special order

CBHFTTM3X1/8W100 3:1 HEAT S	SHRINK TUBING WHITE 1/8"	C'	\$12.64
CBHFTTM3X3/16W100 3:1 HEAT S	SHRINK TUBING WHITE 3/16"	C'	\$14.75
CBHFTTM3X1/4W100 3:1 HEAT S	SHRINK TUBING WHITE 1/4"	C'	\$16.76
CBHFTTM3X3/8W100 3:1 HEAT S	SHRINK TUBING WHITE 3/8"	C'	\$21.35
CBHFTTM3X1/2W100 3:1 HEAT S	SHRINK TUBING WHITE 1/2"	C'	\$29.58
CBHFTTM3X3/4W100 3:1 HEAT S	SHRINK TUBING WHITE 3/4"	C'	\$33.20
CBHFTTM3X1W100 3:1 HEAT S	SHRINK TUBING WHITE 1"	C'	\$45.38



HEAT SHRINK TUBING- 6" BAGGED

SINGLE WALL HEAT SHRINK TUBING- 6" BAGGED Sizes from 1/16" to 1"

- 2:1 shrink ratio UL & CSA certified at 600V @ 125°C
- Shrink temp. 90-120 °C UL File E180908 (except clear)
- Color 5-pack come in:(1) BK, (1) BU, (1) CL, (1) GN, (1) YW
 Color 10-pack come in:(2) BK, (1) BU, (2) CLr, (1) GN, (2) RD, (1) WT, (1) YW
- Black 24-pack has 4 pieces per sizes: 3/32", 1/8", 3/16", 1/4" 3/8", 1/2"

HSTBAG1016	1/16" x 6" COLOR HEAT SHRINK 10PK	EA	\$0.68
HSTBAG2016	1/16" x 6" BLACK HEAT SHRINK 10PK	EA	\$0.68
HSTBAG10332	3/32" x 6" COLOR HEAT SHRINK 10PK	EA	\$0.68
HSTBAG20332	3/32" x 6" BLACK HEAT SHRINK 10PK	EA	\$0.68
HSTBAG1018	1/8" x 6" COLOR HEAT SHRINK 10PK	EA	\$0.78
HSTBAG2018	1/8" x 6" BLACK HEAT SHRINK 10PK	EA	\$0.73
HSTBAG10316	3/16" x 6" COLOR HEAT SHRINK 10PK	EA	\$0.85
HSTBAG20316	3/16" x 6" BLACK HEAT SHRINK 10PK	EA	\$0.72
HSTBAG1014	1/4" x 6" COLOR HEAT SHRINK 10PK	FA	\$0.91

DUAL WALL HEAT SHRINK TUBING- 6" BAGGED Sizes from 1/8" to 1"

- 3:1 shrink ratio UL & cUL certified at 600V @ 125℃ Shrink temp. 110 ℃
- UL File E180908 (except clear) RoHS compliant Black or Red, 1/8" to 1/2" 5 per pack; 3/4" to 1" 3 per pack

DWHSTBAG2018B	1/8" x 6" BLACK DUAL WALL HEAT SHRINK 5PK	EA	\$0.75
DWHSTBAG2018R	1/8" x 6" RED DUAL WALL HEAT SHRINK 5PK	EA	\$0.75
DWHSTBAG20316B	3/16" x 6" BLACK DUAL WALL HEAT SHRINK 5PK	EA	\$0.84
DWHSTBAG20316R	3/16" x 6" RED DUAL WALL HEAT SHRINK 5PK	EA	\$0.84
DWHSTBAG2014B	1/4" x 6" BLACK DUAL WALL HEAT SHRINK 5PK	EA	\$1.09
DWHSTBAG2014R	1/4" x 6" RED DUAL WALL HEAT SHRINK 5PK	EA	\$1.09
DWHSTBAG2038B	3/8" x 6" BLACK DUAL WALL HEAT SHRINK 5PK	EA	\$1.24
DWHSTBAG2038R	3/8" x 6" RED DUAL WALL HEAT SHRINK 5PK	EA	\$1.24
DWHSTBAG2012B	1/2" x 6" BLACK DUAL WALL HEAT SHRINK 5PK	EA	\$1.55
DWHSTBAG2012R	1/2" x 6" RED DUAL WALL HEAT SHRINK 5PK	EA	\$1.55
DWHSTBAG2034B	3/4" x 6" BLACK DUAL WALL HEAT SHRINK 3PK	EA	\$1.70
DWHSTBAG2034R	3/4" x 6" RED DUAL WALL HEAT SHRINK 3PK	EA	\$1.70
DWHSTBAG2001B	1" x 6" BLACK DUAL WALL HEAT SHRINK 3PK	EA	\$1.80
DWHSTBAG2001R	1" x 6" RED DUAL WALL HEAT SHRINK 3PK	EA	\$1.80



SINGLE WALL BOXED • 2:1 shrink ratio • UL & CSA certified at 600V @ 125°C

- 2.5" Black/Red: (60) 1/16", (40) 1/8", (20) 3/16", (18) 1/4", (10) 3/8", (10) 1/2"
- 4" Color: Black, Blue, Clear, Green, White, Yellow. Size: (60) 1/16", (35) 3/32", (25) 1/8", (20) 3/16", (10) 1/4", (10) 3/8
- 4" Black: (60) 1/16", (35) 3/32", (25) 1/8", (20) 3/16", (10) 1/4", (10) 3/8"

HSTBOX158B	HEAT SHRINK BOX 2.5" BLACK x 158PK	EA	\$4.62
HSTBOX158R	HEAT SHRINK BOX 2.5" RED x 158PK	EA	\$4.62
HSTBOX160	HEAT SHRINK BOX 4" COLORS x 160PK	EA	\$5.54
HSTBOX160BLK	HEAT SHRINK BOX 4" BLACK x 160PK	EA	\$5.54

DUAL WALL- BOXED • 3:1 shrink ratio • UL & cUL certified at 600V @ 125°C • Shrink temp. 110 °C • 4" Black/Red: (20) 1/16", (20) 1/8", (10) 1/4", (5) 3/8", (5) 1/2", (2) 3/4"

DWHSTBOX62B	DUAL-WALL HEAT SHRINK KIT 4" X 62 BLACK	EA	\$9.35
DWHSTBOX62R	DUAL-WALL HEAT SHRINK KIT 4" X 62 RED	EA	\$9.35

TERMS & CONDITIONS

All orders are subject to the following terms and conditions. No salesman, sales representative, employee or other party is authorized to bind Thermosleeve-USA by any agreement, warranty, statement, promise or understanding not herein expressed. No modifications shall be binding on Thermosleeve-USA unless the same are in writing and an acknowledgement signed by an executive officer or an executive employee of Thermosleeve-USA.

TO ORDER

In order to establish a direct account with Thermosleeve USA, an initial opening order of \$250.00 is required. To place your order, simply call our Nationwide Toll-Free number. Our sales staff is ready to take your order or to answer your questions from 7:00 A.M. PST to 5:00 P.M. PST. To ensure fast order processing, please have your part numbers, quantities and product descriptions ready before ordering. For your added convenience, take advantage of our 24 Hour Fax Line.

WILL CALL

For local wholesale customers only,
Thermosleeve-USA offers Will Call services from
8:00 A.M. to 12:00 P.M. and from 1:00 P.M. to 4:30
P.M. To avoid long waits, please call 24 hours in
advance whenever possible. Thermosleeve-USA is
located at 12753 Moore St., Cerritos, CA 90703
USA.

TERMS OF SALE

- Thermosleeve-USA requires a \$25.00 minimum order. The minimum order amount is subject to change without notice. The minimum order amount shall be that which is in effect at the time of shipment.
- <u>COD</u> is the quickest and most convenient method preferred by the majority of our customers. Payment method can be: Cash, Certified Check or Company Check (Personal Checks are not accepted). COD Company Check terms are granted at the discretion of Thermosleeve-USA upon receipt of acceptable bank information and a favorable bank account rating,
- <u>Credit Card</u> orders are accepted with valid American Express, Master Charge, Discover or Visa cards. Exact freight charges will be added to card orders.
- Open Account Orders are available to qualified companies. Normal terms offered are NET 30 DAYS from date of invoice, with full credit application approval. Normal terms are not subject to change unless otherwise agreed, and or modified.

in writing and accepted by Thermosleeve-USA.

* Thermosleeve-USA reserves the right, at any time, to revoke any credit card terms extended to customer if customer fails to pay any invoice when due, or, if Thermosleeve-USA's opinion there is a material change in customer's financial condition. Thermosleeve-USA may, at its option, cancel any accepted order if customer fails to meet any invoice when due.

Any company checks returned to Thermosleeve-USA "NOT SUFFICIENT FUNDS" (N.S.F.) can possibly jeopardize any customer's net 30 terms, or COD company check terms. At Thermosleeve-USA's discretion any customer having an N.S.F. check returned could have terms reverted to COD CASH for a period of six (6) months. A \$20 service charge will be assessed on all returned checks.

CONDITIONS

<u>Order Acceptance</u>: All orders are subject to final approval and acceptance by Thermosleeve-USA. Such acceptance will take the form of a shipment upon the order.

<u>Clerical Errors</u>: Clerical errors are subject to correction.

Compliance with Laws: Thermosleeve-USA intends to comply with all laws applicable to its performance under any order.

<u>Limitation of Liability</u>: Thermosleeve-USA's liability for any claim of any kind shall not exceed the purchase price of goods, or portion thereof, which gives rise to the claim whether such claim shall be for breach of warranty or negligence and whether such claim arises out of, or results from this contract or from the design, manufacture, sale, delivery, resale, installation, technical direction of installation, inspection, repair, operation or use of goods furnished under this agreement. Thermosleeve-USA shall not be liable in any event for special or consequential damages, including but not limited to loss of profits or revenue, loss of use of the goods, or any associated goods, cost of capital, cost of substitute goods, facilities or services, down time costs or claim of customers for such damage.

Non-Waiver by Thermosleeve-USA: Waiver by Thermosleeve-USA of a breach of any of these terms and conditions of sale shall not be construed as a waiver of any other breach.

SHIPPING INFORMATION

Thermosleeve-USA makes every effort to ship your order as quickly as possible.

 FOB Thermosleeve-USA warehouse, Cerritos, CA
 All shipments are made via UPS surface unless otherwise prearranged and authorized by Thermosleeve-USA. When shipments are FOB Cerritos, California, delivery of goods to common carrier or licensed truck shall constitute delivery by customer, and all risk of loss or damage in transit shall be borne by the customer.

FREIGHT OPTIONS

<u>UPS Ground</u>: Max. 70 lbs. per package. <u>UPS 3 Day Select</u>: "Orange Label", 3-day delivery, Continental U.S. <u>UPS 2nd Day Air</u>: "Blue Label", second day delivery, Continental U.S. <u>UPS Next Day Air</u>: "Red Label", next day delivery, Continental U.S. <u>Truck Line</u>: Recommended for large and/or heavy orders.

Others: Federal Express, DHL, USPS Global Express, USPS Priority mail, USPS Express mail.

BACK ORDERS

Thermosleeve-USA will ship back ordered items as soon as they arrive from the manufacturer. Thermosleeve-USA holds all orders for 45 days. Note: Only items valued at \$10 or more will be automatically back ordered. If the value of your item is under \$10, it will show on your invoice as being "temporarily out of stock" and you may reorder the item at a later date, if you choose. Back orders will be sent via the same shipping method as the initial order. No additional surcharges will be added (you pay only the standard chart rate). If sent UPS COD, Thermosleeve-USA will pay any additional COD charges.

MERCHANDISE RETURNS

In the event there is a discrepancy in your order or if you have any questions about the status of your order, call our Customer Service Department. Claims for loss or damage in shipment must be made to the carrier. Other claims for returns, shortages or incorrect shipments, must be made directly to Thermosleeve-USA within seven days. All returned merchandise, including merchandise returned through Will Call must be accompanied by a pre-issued Returned Authorization Number (R/A Number). To obtain vour R/A Number, vou MUST call our Customer Service Department with a list of EACH ITEM you are returning, and the original invoice number. Your R/A Number must be clearly marked on the outside carton of the returned merchandise. Merchandise must be received in our warehouse within 30 days of issue or your shipment Will Be Refused. Merchandise returned for any reason other than defects or Thermosleeve-USA shipping errors, will be assessed a 15% restocking charge. Freight collect or COD returns cannot be accepted. Disposition of the return will be determined by Thermosleeve-USA and Thermosleeve-USA is not under any obligation to credit, refund or exchange items solely by reason of issuing a Return Authorization. Debit memos issued by customers for returned merchandise, deducted from payments of invoices, will be disallowed.

Merchandise received by Thermosleeve-USA which is damaged due to inadequate packaging by customer or customer abuse or which in Thermosleeve-USA's opinion appears old WILL NOT BE CREDITED OR EXCHANGED.

REFUSED SHIPMENTS

Unless otherwise determined by Thermosleeve-USA, shipments refused by the customer will be considered to be the customer's error and will be noted on customer's account record.

After a second refusal, any terms previously offered to the customer by Thermosleeve-USA could revert to prepaid status at Thermosleeve-USA's discretion, for an undetermined period of time. For refused shipments returned to stock and not reshipped, a 15% restocking fee will be assessed. Freight charges will also be billed back to the customer's account.

All prices, specifications and availability are subject to changes without prior notice and are solely at the discretion of Thermosleeve-USA. Prices charged shall be those in effect at the time of shipment.

CONTACT US

Thermosleeve-USA A David Levy Company, Inc. 12753 Moore St. Cerritos, CA 90703

 NATIONWIDE
 (800) 421-3536

 ORDER FAX
 (800) 421-3538

 LOCAL
 (562) 404-9998

 FAX
 (562) 404-9698

E-MAIL

sales@Thermosleeve-USA.com

WEBSITES

www.thermosleeve-USA.com

LISTOS PARA AYUDARLE

Tenemos un departamento listo para ayudar y servir a todos nuestros amigos de habla hispana.