

WE ARE TUBING

**HEAT SHRINK
& NON-HEAT
SHRINK TUBING
SPECIALISTS**

Thermosleeve USA has partnered with China's largest manufacturer of heat shrink tubing to produce a comprehensive range of products in various categories and shrink ratios. Everything to meet your shrinkage needs! Manufactured under TS16949 Quality System and ISO14001/ ISO9001 Environment System certifications, Thermosleeve USA's products are produced to meet or exceed UL/224/MIL approval requirements.

Thermosleeve USA products are also certified

under the following agencies, U/L, TUV, VDE, C-UL, F-Mark and are registered "Green Partners" with Sony and Samsung Electronics.

If you're manufacturing wire harnesses, rest assured Thermosleeve USA probably offers a tubing to meet your requirements.

Our products are certified under the following standards: ROHS, AMS-DTL-23053/4/5, SAE-AS81531, MIL-STD-202.

Whether your primary focus is:

• **Aerospace , Military/Defense**

- **Appliance**
 - **Automotive & Marine**
 - **Energy Power Utilities**
 - **Electronics and Computer Peripherals**
 - **Food and Chemical**
 - **Industrial and Commercial**
 - **Medical and Instrumentation**
 - **Robotics**
 - **Transportation**
- ...we've got you covered!*

HEAT SHRINK PRODUCTS

SINGLE WALL HEAT SHRINK



CB-HFT600
2X, POLYOLEFIN
HEAT SHRINK TUBING



CB-HFT
3X/4X POLYOLEFIN,
HEAT SHRINK TUBING



CB-HFT300
2X, THIN WALL,
POLYOLEFIN,
HEAT-SHRINK





CB-HFTYG
2X/3X, YELLOW/GREEN
STRIPED HEAT SHRINK



CB-HFTLS
2X, POLYOLEFIN,
LOW-SHRINK
TEMPERATURE




CB-PET
2X, PET
HEAT SHRINK FILM



CB-HFT1000
2X/3X MIL SPEC,
HEAT SHRINK TUBING



CB-HRT
2X HIGH-TEMP HEAT
SHRINK TUBING




CB-MTTM
2X/3X, MIL SPEC, HEAT
SHRINK MARKER SLEEVE,
HALOGEN FREE,



MTTAG
MIL SPEC, LOW FIRE
HAZARD MARKER TAGS,
HALOGEN FREE



MTHX
2X/3X MIL-SPEC
HIGH FLAME RETARDANT
HEAT SHRINK ID TAGS



CB-ZHP
2X/3X/4X
PHOSPHOROUS FREE,
HEAT SHRINK TUBING, UL
ROHS COMPLIANT



DUAL WALL HEAT SHRINK



CB-DWT
2X/3X/4X
ADHESIVE-LINED
DUAL WALL HEAT SHRINK



CB-DWT1000
2X/3X MIL SPEC/SAE,
ADHESIVE-LINED DUAL
WALL



CB-DWT2000
1.5 X, MIL SPEC/SAE,
ADHESIVE-LINED,
AUTOMOTIVE



CB-DWT3000
4X MIL SPEC/SAE
SEMI-RIGID,
ADHESIVE-LINED



CB-DWT4000
4X MIL SPEC/SAE,
SEMI-RIGID,
ADHESIVE-LINED



DWTFR
4X DUAL WALL
POLYOLEFIN, HEAT
SHRINK WITH
MELTABLE LINER



DWTRX
4X CLEAR LOW
TEMPERATURE,
ADHESIVE-LINED
HEAT SHRINK



DWTRO
4X DUAL WALL HEAT
SHRINK TUBING



DWT-ZHP
2X/3X/4X
PHOSPHOROUS FREE,
HEAT SHRINK TUBING, UL
ROHS COMPLIANT

HEAT SHRINK PRODUCTS

MEDIUM & HEAVY WALL HEAT SHRINK




DWT-MWTA
3.5X/4X ADHESIVE LINED,
MEDIUM WALL, HEAT
SHRINK



DWT-MWT
3.5X/4X MEDIUM WALL
HEAT SHRINK TUBING



DWT-HWT
3.5X/4X HEAVY WALL
HEAT SHRINK
TUBING



DWT-HWTA6X
6X HEAVY WALL HEAT
SHRINK TUBING,
ADHESIVE LINED



DWT-HWTA
3.5X/4X HEAVY WALL HEAT
SHRINK TUBING,
ADHESIVE LINED




CATV
MEDIUM WALL HEAT
SHRINKABLE TUBING,
ROHS COMPLIANT



EXTRUSION TUBING, TERMINATION KITS & SPECIALTY WIRE



PET
BRAIDED
EXPANDABLE SLEEVING



CB-TT L/T/S
TEFLON
NON-SHRINK TUBING



CB-300/600PVC
NON-SHRINK TUBING



CB-SGS
FLAME RETARDANT
FIBERGLASS
TUBING



CB-SRS HI-TEMP
FLAME-RETARDANT
FIBERGLASS TUBING



CB-SRT
EXTRUSION
SILICONE
RUBBER TUBING



TIW
TRIPLE-INSULATED WIRE



10KV PILC
PILC CABLE
INDOOR/OUTDOOR
TERMINATION KIT

SINGLE WALL SPECIALTY HEAT SHRINK



BT1T/10M
2X HEAT-SHRINK
BUS BAR TUBING



RSCE
ADHESIVE-LINED
HEAT-SHRINK
END CAPS



**KYNAR150°C &
KYNAR175°C**
2X KYNAR
HEAT SHRINK TUBING,
FLAME RETARDANT



FKM
2X HI-TEMP
FLUROELASTOMER
HEAT SHRINK
TUBING



RSF
2X HEAT SHRINK
BRAIDED TUBING



PTFE
1.8X HI-TEMP TEFLON
HEAT SHRINK TUBING



DR
2X DIESEL
RESISTANT HEAT SHRINK
ELASTOMER



CDLT-1
COLD-SHRINK POWER
CABLE ACCESSORIES




RSI
POLYOLEFIN ADHESIVE
LINED SHRINKABLE
BREAKOUTS



DS 406
4X HEAT-SHRINK BUTT
CONNECTORS



OFS
HEAT SHRINK
OPTICAL FIBER
SPLICE PROTECTOR
ROHS COMPLIANT



HSSS
HEAT SHRINK
SOLDER SLEEVING



NON-HEAT SHRINK PRODUCTS

STANDARD EXPANDABLE SLEEVES



FR
POLYESTER
EXPANDABLE
SLEEVING



HFR
POLYESTER HI-FLAME
RETARDANT
EXPANDABLE
SLEEVING



FRH
PATTERNED
EXPANDABLE SLEEVING



PPS
EXPANDABLE SLEEVING



PA
NYLON
EXPANDABLE SLEEVING



PAM
NYLON
MULTIFILAMENT
BRAIDED SLEEVING



SPECIAL EXPANDABLE SLEEVES



FRL PET
PET HIGH
ANTI-ABRASION
SLEEVING



PAF
NYLON FLAT FILAMENT
BRAIDED SLEEVING



CC
COLD CUT
SLEEVING




MCR
POLYESTER
METALLIC SLEEVING



AFRS
ALUMINUM
HEAT-DEFLECTING
FIBERGLASS SLEEVING



SES
COPPER FOIL
SHIELDED SLEEVING



SS
TINNED COPPER
SHIELDED SLEEVING



NSSP
POLYESTER
NON-HEAT SHRINK
WEAVED SLEEVING



NSSN
NYLON
NON-HEAT SHRINK
WEAVED SLEEVING



CB
CARBON FIBER SLEEVING



KL
KEVLAR SLEEVING



BS
BASALT SLEEVING



NM
NOMEX SLEEVING



INSULATING SLEEVING & TUBING



MFHG
SKID-PROOF HEAT
SHRINK SLEEVING



MBWG
PVC COATED
GALVANIZED STEEL
FLEXIBLE CONDUIT



MXLG
SPIRAL PROTECTOR



MELG
CORRUGATED
FLEXIBLE CONDUIT




NON-HEAT SHRINK PRODUCTS

CABLE WRAPS



SCS
SELF CLOSING WRAP



SCW
SELF-CLOSING
BRAIDED WRAP



PVTW
VELCRO
MULTIFILAMENT
WRAP



VCW
VELCRO BRAIDED WRAP



DHS
VELCRO CARPET WRAP



PZTW
ZIPPER
MULTIFILAMENT
WRAP



ZW
ZIPPER BRAIDED WRAP



SSCW
NOISE-RESISTANT
BRAIDED WRAP



BWS PVC
PVC BUTTON WRAP

CAGE CODE: 7EE56



RoHS



SAE
INTERNATIONAL

MIL

FMARK



HEAT SHRINK PRODUCT CERTIFICATION CHART

Part Number	U/L	CUL	ROHS	TUV	VDE	Halogen Free	SAE	MIL	Flame Retardant	F Mark	UL224	REACH	VW1	UL94V-0
POLYOLEFIN SINGLE-WALL HEAT SHRINK														
CB-HFT600	•	•	•			•			•	•	•	•	•	
CBHFT3X	•	•	•			•			•	•	•	•	•	
CBHFT4X	•	•	•			•			•	•	•	•	•	
CB-HFT300	•	•	•			•			•	•	•	•	•	
CBHFTYG	•	•	•			•			•	•	•	•	•	
CBHFTLS	•	•	•			•			•	•	•	•	•	
MTTAG - S	•	•	•				•	•	•		•	•	•	
MTTAG - C	•	•	•				•	•	•		•	•	•	
MTHX - S	•	•	•				•	•	•		•	•	•	
MTHX - C	•	•	•				•	•	•		•	•	•	
MTTM - S	•	•	•			•		•	•		•	•	•	
MTTM - C	•	•	•			•		•	•		•	•	•	
CBHFT1000	•	•	•			•	•	•	•	•	•	•	•	
CBHRT	•	•	•			•			•	•	•	•	•	
CB-PET			•			•			•			•		•
POLYOLEFIN DUAL-WALL HEAT SHRINK														
CB-DWT2X	•	•	•			•			•	•	•	•	•	
CB-DWT3X	•	•	•			•			•	•	•	•	•	
CB-DWT4X	•	•	•			•			•	•	•	•	•	
CB-DWT1000	•	•	•			•	•	•	•		•	•	•	
CB-DWT2000	•	•	•					•			•	•	•	
CB-DWT3000	•	•	•						•		•	•	•	
CB-DWT4000			•								•	•	•	
DWTFR	•	•	•						•		•	•	•	
DWTRX	•	•	•						•		•	•	•	
DWTRO	•	•	•						•		•	•	•	
DS 406			•			•						•	•	
OFS			•			•						•	•	
HSSS			•			•						•	•	
MEDIUM-WALL / HEAVY WALL HEAT SHRINK														
MWT			•			•	•		•		•	•	•	
MWTA			•			•	•		•		•	•	•	
DWT-HWTA			•			•	•		•		•	•	•	
DWT-HWT			•			•	•		•		•	•	•	
DWT-HWTA6X			•			•	•		•		•	•	•	
CATV			•			•	•		•		•	•	•	
SPECIAL DESIGN SINGLE-WALL HEAT SHRINK														
BBT			•			•			•			•	•	
RSI			•			•			•			•	•	
RSCE			•			•			•			•	•	
KYNAR150	•	•	•			•	•	•	•		•	•	•	
KYNAR175	•	•	•			•	•	•	•		•	•	•	
FKM	•	•	•			•	•	•	•		•	•	•	
RSF			•			•			•			•	•	
PTFE	•	•	•			•	•	•	•			•	•	
DR			•			•	•	•	•			•	•	
CDLT-1			•			•	•		•			•	•	
EXTRUSION TUBING														
PET	•	•	•			•			•			•		
NCT	•	•	•			•						•		
CB-TTL	•	•	•			•			•	•	•	•	•	
CB-TTT	•	•	•			•			•	•	•	•	•	
CB-TT(S)	•	•	•			•			•	•	•	•	•	
CB-300PVC	•	•	•						•	•	•	•	•	
CB-600PVC	•	•	•						•	•	•	•	•	
CB-300PE	•	•	•			•			•	•	•	•	•	
CB-600PE	•	•	•			•			•	•	•	•	•	
CB-SGS	•	•	•			•			•			•	•	
CB-SRS	•	•	•			•			•			•	•	•
CB-SRT	•	•	•			•		•	•			•	•	•
SPECIALTY WIRE														
10KV PILC														